



# Hardware & Cargo Control

We make it our business to have the trailer parts you need when you need them and that means having a full line of hardware and cargo control products for you to choose from. As your one stop shop for hardware, we have hinges, handles, latches, rivets and drill bits. If that's not enough, we also have cargo straps, rollers, brackets, toolboxes, locks, floor screws and more!

Ramp Ends .....	K-2	Linchpins .....	K-8	Wheel Nets .....	K-19
Aluminum Ramps .....	K-2	Lanyards.....	K-8	Tarp Straps .....	K-19
Trailer Tailgate Lift Assist System .....	K-3	Weld-on Stake Pocket.....	K-8	E-Track Cargo Control.....	K-19
Ramp Springs.....	K-3	Tie Loops.....	K-9	Tow-Rax Storage Solutions for	
Enclosed Trailer Ramp Springs.....	K-3	D-Rings & Lashing Rings.....	K-9	Enclosed Trailers.....	K-20 & 21
Towing Mirror.....	K-3	Packaged U-Bolts .....	K-9	Rack'Em Landscape	
Grab Handles and Steps.....	K-4	Rivet Tool.....	K-9	Trailer Accessories.....	K-22 & 23
Spare Tire Carriers.....	K-4	Rivets .....	K-10	SuperVision Security Systems	
Continuous Hinge .....	K-4	Torx Screwdriver Bit & Holder .....	K-10	& Accessories.....	K-24 & 25
Chrome Flush Hinge .....	K-4	Torx Floor & Wall Liner Screws.....	K-10	Redline Packaged Hardware.....	K-26
Weld-On Butt Hinges .....	K-4	Drill Bits .....	K-11	Underbody Toolboxes.....	K-27
Strap Hinges .....	K-5	Locks & Lock Brackets .....	K-11-14	Aluminum Toolboxes .....	K-27
Hinge Pins & Nipple.....	K-5	Safety Chains & Cables.....	K-15	Stainless Steel Door Toolboxes .....	K-27
Pin and Roller Assembly .....	K-5	Safety Hooks & S-Hooks.....	K-15	Toolbox Mounting Brackets .....	K-27
Flush Latches .....	K-5	Clevis Grab & Clevis Slip Hooks.....	K-16	A-Frame Toolboxes.....	K-28
Tipper Latch .....	K-6	Chain Load Binders .....	K-16	Poly Trailer Tongue Toolboxes.....	K-28
Spring Latch.....	K-6	Grade 30 Proof Coil Chain.....	K-16	Universal Toolbox Shelving Systems...	K-29
"Suitcase" Latch .....	K-6	Grade 43 High Test Chain .....	K-16	TurboTarp Trailer Tarping Systems ...	K-29
Side Door Bar Lock Assembly.....	K-6	Snap Hooks & S-Hooks .....	K-17	Bolster & Bunk Brackets.....	K-30
Universal Cam-Door Lock.....	K-6	Quick Links & Spring Links.....	K-17	Roller Brackets.....	K-30
Cab Lock Handles .....	K-6	Cargo Securing Rails & Hardware .....	K-17	Steel Roller Shaft & Pal Nuts.....	K-30
Cab Locks .....	K-7	Cargo Control Products.....	K-18	Rubber Side Guide Roller & Cap .....	K-30
Vinyl Handle Grips.....	K-7	Cargo Control Straps .....	K-18	Rubber Bow & Keel Rollers.....	K-30
Rubber Bumpers .....	K-7	Strap Winches.....	K-18	Rubber Bow Guards .....	K-30
Door Holders.....	K-7	Ratcheting Winch Bar.....	K-18		
Hitch Pins.....	K-8	Winch Straps .....	K-19		
Snapper Pins .....	K-8	Axle Straps .....	K-19		

**HARDWARE &  
CARGO CONTROL**



## Fulton Ramp Ends



Fulton® provides a convenient way to turn ordinary 2" X 8" lumber into custom loading ramps. RE8T is a pair of top plate ramp ends constructed of heavy-duty zinc plated steel. Just cut your board to length, mount the ramp ends, and you're ready to easily load & unload cargo. Mounting hardware and instructions are included.



PART NO.	REF. NO.	DESCRIPTION
RE8T	385610	FULTON RAMP END PAIR FOR 2"X8" BOARD, TOPS ONLY

## Fulton Aluminum Ramps



- Made from High Strength Aluminum Alloy, these strong & durable ramps can support many different pieces of equipment, yet they are light-weight and rust resistant.
- The Patented top plate is angled to assure a smooth transition between ramp & bed, resulting in easier loading.
- The adjustable straps ensure safety, keeping the ramps securely strapped to the truck.
- With a push button release on the straps, they can be quickly adjusted to fit. The push button design quickly loosens and tightens the straps.



550101



550301



550201



550401

PART NO.	REF. NO.	DESCRIPTION
550101	385706	ARCHED RAMP PAIR, 1500 LB RATING 90" X 12"
550301	385707	STRAIGHT RAMP PAIR, 1250 LB RATING 69" X 13"
550401	385708	TRI-FOLD RAMP, 1400 LB RATING 69" X 45"
550201	385709	CENTER FOLD RAMP, 650LB RATING 86" X 12"



## Trailer Tailgate Lift Assist System

*The Gorilla-Lift is the next generation of utility trailer tailgate lift assists. The Gorilla-Lift...*

- Is a two-sided tailgate assist; it attaches to both side rails. This prevents very heavy tailgates from warping or the hinges from deteriorating prematurely from uneven stress.
- Takes 100% of the weight off most trailer tailgates.
- Works on open utility trailers with side rails 10" to 24" inches tall.
- Works on open utility trailers with tailgates 4 to 6 feet tall.
- Works on trailers with square tube, round tube, or angle side rails.
- Attaches to your trailer quickly and easily.
- Has a one-year limited warranty.



PART NO.	REF. NO.	DESCRIPTION
GL1	385612	TRAILER TAILGATE LIFT ASSIST SYSTEM

## Ramp Springs

Manufactured with a high quality steel alloy, these Ramp Springs provide approximately 90 degrees of deflection.

PART NO.	REF. NO.	DESCRIPTION
RS16933LH	385700	RAMP SPRING, LH 2K TORQUE FOR 1 1/2" SHAFT
RS16933RH	385705	RAMP SPRING, RH 2K TORQUE FOR 1 1/2" SHAFT



## Enclosed Trailer Ramp Springs

**M-3**

Each Ramp Door Spring is a complete system, designed for enclosed (cargo and specialty) trailers, and includes everything necessary for proper installation, except mounting bolts. The system features a dual drum and dual cable to prevent the ramp door from free falling in the event one cable is accidentally cut. The universal mounting bracket has two 3/8" holes that allow the installer to bolt to the rear header or the bracket can be welded. The four part numbers offered cover a majority of enclosed trailers, but custom assemblies are also available for finished door weights ranging from 50 lbs. to 300 lbs. The system is warranted for three years against defects in material and/or workmanship.



PART NO.	REF NO.	SPRING TYPE	TUBE LENGTH	CAPACITY	PACKAGE
ERS160D96	385650	DUAL SPRING	96"	160 LBS.	BOXED
ERS120D81	385660	DUAL SPRING	81"	120 LBS.	BOXED
ERS80S96	385670	SINGLE SPRING	96"	80 LBS.	BOXED
ERS80S66	385680	SINGLE SPRING	66"	80 LBS.	BOXED



## Towing Mirror

This durable all black Towing Mirror is fully adjustable and fits most standard OEM mirrors. The jointed extension arms adapt to the desired angle or shape, and the mirror head pivots on a ball so it can be used either vertically or horizontally. Easily installed with no tools; just clip the mirror on and cinch up straps until they are tight. When mirror is not in use it is collapsible, so it takes up very little storage space.



PART NO.	REF. NO.	DESCRIPTION
30-0096XL	413330	CLIP-ON TOWING MIRROR

**HARDWARE & CARGO CONTROL**

## Grab Handles and Steps



Excellent for use on trucks, trailers and campers, the #5709 folding step is constructed of heavy iron with a stainless steel spring. The #1258 is made of 100% stainless steel. The #92451 pullout step is ideal for campers and other step-up trailers. The pullout step extends out and down when in use and pushes up and in to be out of sight when traveling.

PART NO.	REF. NO.	DESCRIPTION
GH12-713	376990	GRAB HANDLE, STEEL W/CHROME FINISH 2" X 13"
5709	376995	FOLDING STEP 2 1/8" X 4 3/8", BACK PLATE 2" X 2"
1258	376996	STAINLESS STEEL FOLDING STEP, 2 1/8" X 4 3/8"
92451	376997	PULL OUT STEP, SIZE 7" X 20" W/8" DROP

## Spare Tire Carriers



PART NO.	REF. NO.	WHEEL BOLT NO.	DESCRIPTION
6220	412800	4, 5	EXTRA LENGTH TO ALLOW THE HANDLING OF WIDE TIRES OR WILL SPAN THE WIDER TONGUES OF CUSTOM BUILT TRAILERS, PKGD
6280	413000	4, 5	W/MASTERLOCK PADLOCK, ADDS EXTRA PROTECTION TO KEEP YOUR SPARE TIRE IN PLACE, PKGD
STC7564	413100	4, 5	HI-MOUNT FITS UP TO 3" X 4" SQ TONGUE (COMES W/ MOUNTING HARDWARE), BOXED
8650	413200	5, 6, 8	COMMONLY USED ON HORSE & LIVESTOCK TRAILERS

## Continuous Hinge



Also called a "Piano Hinge", Continuous Hinges can be used in many applications. All hinges rotate 270 degrees, measure 6 ft. in length, and come with no holes.

PART NO.	REF. NO.	FLAT WIDTH	PIN SIZE	GAUGE	KNUCKLE LENGTH	MATERIAL TYPE
H150	383800	1 1/2"	1/8"	.050"	1/2"	MILD STEEL
SH150	383820	1 1/2"	1/87"	.050"	1/2"	STAINLESS STEEL
H200	384000	2"	3/16"	.060"	1/2"	MILD STEEL
SH200	384020	2"	3/16"	.060"	1/2"	STAINLESS STEEL
H300	384200	3"	1/4"	.074"	1"	MILD STEEL
SH300	384220	3"	1/4"	.074"	1"	STAINLESS STEEL
S09304872	383750	3"	1/4"	.090"	1"	MILD STEEL
S12006472	383752	4"	3/8"	.120"	2"	MILD STEEL
S18009672	383754	6"	1/2"	.180"	2"	MILD STEEL

## Chrome Flush Hinge



Commonly known as a "Refrigerator Door Hinge", this chrome plated zinc die-cast unit utilizes a 5/16" stainless steel pin for increased rust resistance. It pivots on two nylon bushings, for smooth operation. Mounts with six - No.10 flat or oval head screws (not included). Can be mounted as a left hand or right hand hinge.

PART NO.	REF. NO.	WIDTH	LENGTH
104	383700	3 1/4"	6"

## Weld-On Butt Hinges



PART NO.	REF. NO.	DESCRIPTION
BTS09303018	383770	3" X 3" .090" THICK STEEL .187" PIN
BTS12404025	383771	4" X 4" .120" THICK STEEL .250" PIN
BTS18606037	383772	6" X 6" .180 THICK STEEL .375" PIN
BTS18306037	383773	3" X 6" .180 THICK STEEL .375" PIN

## Strap Hinges

Ideal for use in manufacturing or as replacement parts for trailer dealers. These Strap Hinges are manufactured from heavy duty 8-gauge steel. To reduce wear, brass spacers have been added between the moving parts. All hinges are zinc plated to resist corrosion.

PART NO.	REF. NO.	DESCRIPTION
2212	383702	STRAP HINGE, ZINC, 12" L OVER GASKET 270°
2512	383705	STRAP HINGE, ZINC, 12" L OVER GASKET 180°
2008	383708	STRAP HINGE, ZINC, 8" L 3-HOLE BKT
4022	383711	STRAP HINGE, ZINC, 12" L FLUSH MNT 270°



## Hinge Pins and Nipples

Used for custom building your own heavy duty door hinges, Hinge Pin Nipples are welded to outer frames and to doors, aligning them so the Hinge Pin may be inserted. Greasable hinge pins have a grease zerk installed on one end and an outlet hole to allow lubrication of the hinge.

PART NO.	REF. NO.	DESCRIPTION	DIA.	LENGTH
HPN214	384375	HINGE PIN NIPPLE	1/2" I.D.	2 1/4"
HP412	384378	HINGE PIN	1/2" O.D.	4 1/2"
HP412G	384381	HINGE PIN, GREASABLE	1/2" O.D.	4 1/2"
HP634	384384	HINGE PIN	1/2" O.D.	6 3/4"
HPN34-214	384387	HINGE PIN NIPPLE	3/4" I.D.	2 1/4"
HP34-412G	384390	HINGE PIN, GREASABLE	3/4" O.D.	4 1/2"
HPN34-2	384395	HINGE PIN NIPPLE	3/4" I.D.	2"
HP34-4G	384397	HINGE PIN, GREASABLE	3/4" O.D. X 1" BASE	4"
HP12-412G	384383	HINGE PIN, 2 PC, GREASABLE	1/2" O.D. X 3/4" BASE	4 1/2"
FSP080GF	384391	HINGE PIN & NIPPLE, GREASABLE, WELD-ON HINGE	.51" OD	3"
FSP120GF	384392	HINGE PIN & NIPPLE, GREASABLE, WELD-ON HINGE	.63" OD	4 3/4"
FSP150GF	384393	HINGE PIN & NIPPLE, GREASABLE, WELD-ON HINGE	.787" OD	5.91"
FSP200GF	384394	HINGE PIN & NIPPLE, GREASABLE, WELD-ON HINGE	.906" OD	7.87"



## Pin and Roller Assembly

Ideal for sliding gates and doors, or anywhere a small wheel is needed. Available in rubber with nylon insert or all steel construction.

PART NO.	REF. NO.	DESCRIPTION	I.D.	O.D.	WIDTH	PIN DIM.
RL11265ND4	381025	RUBBER ROLLER WHEEL	1/4"	2"	7/8"	NO PIN
PRA-1	381000	STEEL ROLLER WHL W/PIN	1/2"	1 1/2"	7/16"	1/2" X 1 3/4"
PRA-1PIN	381005	ROLLER PIN FOR PRA-1	1/2"	1 3/4" LONG		
PRA-1ROLL	381010	STEEL ROLLER WHL FOR PRA-1	1/2"	1 1/2"	7/16"	



## Flush Latches

Flush Latches feature Stainless Steel Springs, with or without Locking Cylinders. Available with plain (rust-proofed) coated steel or Stainless Steel; ensuring long life and trouble free service.

PART NO.	REF. NO.	DESCRIPTION	TYPE	FINISH	HOLE SIZE
L1980	379000	LOCKING	"JUNIOR"	PLAIN	2 3/4" X 3 3/4"
N1980	379200	NON-LOCKING	"JUNIOR"	PLAIN	2 3/4" X 3 3/4"
L1930	379400	LOCKING, INSIDE RELEASE	"JUNIOR"	PLAIN	2 3/4" X 3 3/4"
L1883	379600	LOCKING	"JUNIOR"	STAINLESS	2 3/4" X 3 3/4"
L1833	379800	LOCKING, INSIDE RELEASE	"JUNIOR"	STAINLESS	2 3/4" X 3 3/4"
L4080	380230	LOCKING	T-HANDLE	STAINLESS	2 3/4" X 3 3/4"
L3980	380000	LOCKING	FULL SIZE	PLAIN	3 3/8" X 4 5/8"
N3980	380200	NON-LOCKING	FULL SIZE	PLAIN	3 3/8" X 4 5/8"
CHK510	380250	REPLACEMENT KEY #510			
CHK545	380275	REPLACEMENT KEY #545			
CHKT	380600	REPL KEY & TUMBLER SET FOR LOCKING "JUNIOR" FLUSH LATCHES			



HARDWARE & CARGO CONTROL

## Tipper Latch




Tipper Latches are commonly used for tilt-bed utility, snowmobile and boat trailers. They are spring loaded for easy release.

PART NO.	REF. NO.	DESCRIPTION
382	413400	TIPPER LATCH

## Spring Latches

Spring Latches SL716 & SL716SS feature a stainless steel spring, 7 5/16" long pin with looped handle and mounting hole centers of 1" x 1 7/8". Part # SL58W can be welded at the nose of the latch.



PART NO.	REF. NO.	PIN SIZE	FINISH
SL716	380700	7/16"	ZINC
SL716SS	380725	7/16"	STAINLESS W/ALUMINUM BASE
SL58W	380750	5/8"	ZINC

## "Suitcase" Latches



HC210

HC207

The over-center latch with a high strength wire loop provides the greatest holding power of all loop configurations. Features zinc plating and firm draw up tension for secure holding.

PART NO.	REF. NO.	DESCRIPTION	LENGTH	WIDTH
HC207	382400	W/LOCK HOLE	3 13/16"	1 9/32"
HC210	382600	W/O LOCK HOLE	3 13/16"	1 9/32"

## Side Door Bar Lock Assembly



Ideal for use on trailer side doors that are typically smaller than rear doors. This assembly includes a 36" pipe, and is zinc coated to resist rust and corrosion.

PART NO.	REF. NO.	DESCRIPTION
3057-36	383714	SIDE DOOR BAR LOCK ASSY WELDMENT W/36" PIPE

## Universal Cam-Door Lock



This plain-finish Cam-Lock is for all van bodies, trucks and trailers. It can be used for side door or rear door applications. The Lock can be installed on flush to 3/4" offset doors. A bridge-type keeper prevents accidental opening and ensures safe locking action. The positive double action handle gives dual protection against jarring in transit.

### Measurements:

- 3/16" Thick Bearing Covers
- 1 3/4" Maximum Lock Protection
- 1/2" Square Padlock or Seal Eye
- 1 7/8" Width of Keeper
- 13/52" Diameter Mounting Holes

PART NO.	REF. NO.	DESCRIPTION
5654X	383200	CAM-DOOR LOCK, USES 3/4" I.D. PIPE (NOT INCL.)
158-100	383225	REPL HANDLE FOR 5654X
158-101	383250	REPL HANDLE LATCH FOR 5654X

## Cab Lock Handles



Available in locking or non-locking models, the door/compartment handles are designed for use with Cab Locks. All shafts are 5/16" square.

PART NO.	REF. NO.	DESCRIPTION	SHAFT LENGTH
276	377000	"L" HANDLE W/LOCK	2 1/2"
277	377200	"L" HANDLE W/O LOCK	2 1/2"
777	377400	"T" HANDLE W/LOCK	3 1/2"
818-20	377600	ADJ LATCH, USED IN PLACE OF CAB LOCK	

## Cab Locks

Cab Locks are surface-mounted to the door, so no mortising or blocking is required for installation. They are fitted with a high-carbon tempered flat steel spring, for smooth operation, and a die-formed bushing. The 2" wide, 3 3/8" tall locks are to be used with #276 and #277 "L" and #777 "T" handles.

PART NO.	REF. NO.	DESCRIPTION
57LH	378200	LEFT HAND W/THUMB RELEASE
57RH	378400	RIGHT HAND W/THUMB RELEASE
58LH	378600	LEFT HAND W/O THUMB RELEASE
58RH	378800	RIGHT HAND W/O THUMB RELEASE



## Vinyl Handle Grips

These black Vinyl Handle Grips fit over stock trailer door handles and latches, or anywhere else a finishing touch is desired.


PART NO.	REF. NO.	TYPE	INSIDE DIM.	LENGTH
FVH150	384400	FLAT	1/4" X 1 1/2"	3"
FVH200	384600	FLAT	1/4" X 2"	3"
RVH50-1	384850	ROUND	1/2"	1"
RVH50	384800	ROUND	1/2"	4"
RVH60	385000	ROUND	9/16"	4"
RVH75	385200	ROUND	3/4"	4"



## Rubber Bumpers

Rubber Bumpers prevent damage to trailer doors, etc. Small bumpers can be used as door stops, handle cushions or dock bumpers.

PART NO.	REF. NO.	OUTSIDE DIA.	HEIGHT	RECESS	MNTG. HOLE
B-1	385800	2 1/2"	1"	1/2" X 1 1/8"	3/8"
B-2	386000	1"	13/16"	1/4"	1/8"



## Door Holders

One part is mounted to the door, the other to the side of the trailer. Primarily used for holding trailer doors open, but can also be used on trailer windows. All metal parts are zinc plated.



PART NO.	REF. NO.	DESCRIPTION
5601	383400	HOOK & KEEPER
DH100	383600	PLUNGER & RUBBER SOCKET (2 5/8" OVERALL)
DH100S	383610	REPL RUBBER SOCKET FOR DH100
DH100P	383620	REPL PLUNGER FOR DH100 (2 1/4" LENGTH)
DH604	383630	PLUNGER & NYLON SOCKET (1" STEM)
DH604P	383635	REPL PLUNGER FOR DH604 (1" LENGTH)
DH605	383640	PLUNGER & NYLON SOCKET (2" STEM)
DH605P	383645	REPL PLUNGER FOR DH605 (2" LENGTH)
DH600S	383650	REPL NYLON SOCKET FOR DH604 & DH605
DH38R	383675	1" PLASTIC STEM & RUBBER SOCKET
DH38S	383680	REPL RUBBER SOCKET FOR DH38R & DH39R
DH38P	383685	REPL 1" PLASTIC STEM FOR DH38R
DH39R	383690	2" PLASTIC STEM & RUBBER SOCKET
DH39P	383695	REPL 2" PLASTIC STEM FOR DH39R
I-DHB-AL-2	383402	2" ALUM DOOR HOLD BACK, HOOK & KEEPER
I-DHB-AL-4	383404	4" ALUM DOOR HOLD BACK, HOOK & KEEPER




HARDWARE & CARGO CONTROL

**WALLACE  
FORGE  
COMPANY**

*Quality Since 1942*

**Hitch Pins**

Hitch Pins are available in a variety of sizes for utility wagons, implements, etc., or when a locking pin is desired. All Hitch Pins come with keepers and replacement keepers are available. Plated to resist corrosion.



1006H

KEEPERS		
PART NO.	REF. NO.	SIZE
HPK3	321400	1 5/8" LONG
HPK4	321450	3 1/4" LONG
HPK9	321600	2 9/16" LONG

HITCH PINS W/KEEPER		
PART NO.	REF. NO.	SIZE
12H	320400	1/2" X 3 1/2"
58H	320600	5/8" X 4 1/2"
586H	320800	5/8" X 6"
34H	321000	3/4" X 4 1/2"
346H	321200	3/4" X 6"
1006H	321220	1" X 6"

**WALLACE  
FORGE  
COMPANY**

*Quality Since 1942*

**Snapper Pins**

Snapper Pins have many uses on equipment, trailers, couplers, pintles, etc. The quick connect and disconnect feature makes them easy to use. The double wire mechanism keeps it securely "locked" during use. Choose the square standard style or the round tab style. Plated to resist corrosion.



PART NO.	REF. NO.	DIA.	USABLE LENGTH	STYLE
14-134TR	321605	1/4"	1 3/4"	ROUND
14-134	321610	1/4"	1 3/4"	SQUARE
14-212TR	321613	1/4"	2 1/2"	ROUND
14-238	321616	1/4"	2 3/8"	SQUARE
516-134TR	321620	5/16"	1 3/4"	ROUND
516-214	321623	5/16"	2 1/4"	SQUARE
516-212TR	321627	5/16"	2 1/2"	ROUND
38-114	321632	3/8"	1 1/4"	SQUARE
38-200	321641	3/8"	2"	SQUARE
38-212TR	321646	3/8"	2 1/2"	ROUND

**WALLACE  
FORGE  
COMPANY**

*Quality Since 1942*

**Linchpins**

Manufactured from low carbon steel, the pin portion of the linchpin has a Rockwell hardness Ra 50-60 with a 60kg load. The ring portion of the linchpin is hot drawn spring steel. Zinc plated for corrosion resistance. Part LP716HD has a heavy duty ring.



PART NO.	REF. NO.	DIA.	USABLE LENGTH
LP316	321655	3/16"	1 3/8"
LP14	321658	1/4"	1 3/4"
LP516	321660	5/16"	1 3/4"
LP38	321663	3/8"	1 3/4"
LP716	321665	7/16"	1 3/4"
LP716HD	321667	7/16"	1 3/4"

**Lanyards**



These Lanyards have a variety of uses for your trailer needs, such as securing hitch pins, linchpins and snapper pins to prevent loss. They are made of multi-strand aircraft cable, making them stronger than a single wire construction and resistant to breaking.

PART NO.	REF. NO.	LENGTH
2608	321240	8"
2612	321246	12"
2618	321252	18"

**Weld-on Stake Pocket**



Designed for use on flat bed trucks or trailers. Designed to accept standard 2" x 4" stakes.


PART NO.	REF. NO.	GAUGE	HEIGHT	I.D.
STKP34	404625	4	3"	1 5/8" X 3 1/2"
STKP34-8GA	404628	8	3"	1 5/8" X 3 1/2"

HARDWARE &  
CARGO CONTROL

## Tie Loops

Tie Loops can be used wherever a rope-tie or halter-tie is desired. Choose from brushed aluminum bolt-on or conventional weld-on styles. Part #38CL is a low profile design for use with safety chains.

PART NO.	REF. NO.	DESCRIPTION	INSIDE DIA.	LEG DIA.	LEG LENGTH
TL20012AB	404000	ALUMINUM, BOLT-ON ROUND	1/2"	2"	2 1/4"
TL20012	404010	METAL, WELD-ON ROUND	1/2"	2"	2"
TL21438	404015	METAL, WELD-ON SQUARE	3/8"	2 1/4"	7/8"
38CL	404007	METAL, WELD-ON LOW PROFILE	3/8"	1/2"	4 1/2"



## D-Rings and Lashing Rings

A full range of sizes of D-Rings and Lashing Rings is available. Light duty for rope ties in cargo and horse/stock trailers or heavy duty for chains, etc. on equipment/flat bed trailers.

PART NO.	REF. NO.	RATED CAPACITY	DESCRIPTION
TL178AB	404004	N/R	1 7/8" I.D. RING W/BOLT-ON BKT, ALUM
DR14-15	404150	N/R	1/4" W/BOLT-ON MTG BKT, 1 1/8" X 1 1/8" I.D. W/1 3/8" HOLE CENTERS ON BKT
DR14-20	404200	1,200 LB	RECESSED ZINC-PLATED W/OVERALL DIM. OF 5" LONG, 3 1/2" WIDE & 3/8" DEEP
DR14-30	404245	N/R	4 1/5" O.D. SURFACE MNT W/PLASTIC TRIM, ZINC PLATED
DR14-30R	404250		TIE DOWN D-RING ZINC FOR DR14-30
DR14-30RM	404255		TIE DOWN D-RING MOUNT PLASTIC FOR DR14-30
DRB12-25	404300	4,000 WLL, 12,000 MBS	1/2" W/BOLT-ON MNTG BKT, 2 1/2" X 2 3/8" I.D. W/2" HOLE CENTERS ON BKT
DR58-3	404400	6,000 WLL, 19,000 MBS	5/8" DROP FORGED STEEL, 3" X 3" I.D. W/ WELD-ON MNTG BKT
DR10-3-4	404600	15,000 WLL, 47,000 MBS	1" DROP FORGED STEEL, 3" X 4" I.D. W/ WELD-ON MNTG BKT
RDR801	404605	6,000 LB	4 1/2" X 4 7/8" O.D. RECESSED BKT W/1 3/8" I.D. FORGED RING
RDR901	404610	6,000 LB	6 1/2" O.D. RECESSED RING, SWIVELS 360°, ZINC PLATED




NOTE: WLL = Working Load Limit; MBS = Minimum Breaking Strength

## Packaged U-Bolts



PART NO.	REF. NO.	D	A	L
381344UB	404700	3/8"	1 3/4"	4"
382144UB	404705	3/8"	2 1/4"	4 1/4"
382385UB	404710	3/8"	2 3/8"	5 1/4"
383384UB	404715	3/8"	3 3/8"	4 1/4"
7162184UB	404730	7/16"	2 1/8"	4"
7163183UB	404735	7/16"	3 1/8"	3"
7163184UB	404740	7/16"	3 1/8"	4"
7164183UB	404745	7/16"	4 1/8"	3"
122185UB	404760	1/2"	2 1/8"	5 1/4"

Ideal for boat/pwc/snowmobile trailers, these u-bolts are zinc plated to resist corrosion. Square bend simplifies attachment of hardware to square trailer frames.



## Rivet Tool


This is one of the best selling hand rivet tools in the industry. Features a square shoulder fulcrum pin of cold-formed heat-treated steel. This prevents pin rotation, which can elongate the engaging holes and cause premature tool failure with other rivet tools. Other quality features include: precision die-cast, high-strength aluminum alloy body, drop-forged carbon steel upper handle and thick, cushion-molded vinyl grips, for comfort. Sets up to 3/16" steel rivets and comes with four mounted nosepieces (3/32", 1/8", 5/32", and 3/16"), plus a service wrench.

PART NO.	REF. NO.	DESCRIPTION
39000	495600	HEAVY DUTY HAND RIVETER



## Rivets

Determine which Rivet you need for the job by grip range. Rivets are designed to provide best fastening when used within the proper grip range. If the thickness of the material you are fastening varies, it is best to use more than one size rivet.




PART NO.	REF. NO.	RIVET DIA. / FLG DIA.	HOLE SIZE	DRILL NO.	MAX. LGTH UNDER HEAD	GRIP RANGE (INCHES)	QTY.
AD42ABS	386800	1/8"	.129 - .133	9/64"	.265	.032 - .125	500
AD44ABS	387000	1/8"	.129 - .133	9/64"	.390	.188 - .250	500
AD45ABS	387200	1/8"	.129 - .133	9/64"	.515	.313 - .375	500
AD46ABS	387400	1/8"	.129 - .133	9/64"	.515	.313 - .375	500
AD48ABS	387600	1/8"	.129 - .133	9/64"	.640	.376 - .500	500
AD54ABS	387700	5/32"	.160 - .164	11/64"	.465	.188 - .250	500
AD56ABS	387800	5/32"	.160 - .164	11/64"	.540	.251 - .375	500
AD64ABS	388200	3/16"	.192 - .196	13/64"	.440	.126 - .250	500
AD64ABSLF	388400	3/16" *	.192 - .196	13/64"	.440	.126 - .250	500
AD66ABS	388600	3/16"	.192 - .196	13/64"	.565	.251 - .375	500
SD66ABS	388700	STEEL 3/16"	.192 - .196	13/64"	.565	.251 - .375	500
AD66ABSLF	388800	3/16" *	.192 - .196	13/64"	.565	.251 - .375	500
AD68ABS	389000	3/16"	.192 - .196	13/64"	.690	.376 - .500	500
AD610ABS	389200	3/16"	.192 - .196	13/64"	.815	.501 - .625	500
AD610ABSLF	389400	3/16" *	.192 - .196	13/64"	.815	.501 - .625	500
AD612ABS	389600	3/16"	.192 - .196	13/64"	.940	.626 - .750	500
AD612ABSLF	389800	3/16" *	.192 - .196	13/64"	.940	.626 - .750	500

\* Features 5/8" diameter large flange rivet head

## Torx Screwdriver Bit and Holder

The Torx® Screw Driver Bit has a 1/4" hex drive and makes installing Torx® screws a simple task. For easier, faster floor screw installation, we now offer a 1/4" Hex Driver Bit holder for our TX430 floor screw bit. The driver bit is held securely in the holder by an internal ring retainer. The extended driver shaft can be mounted in any type drill chuck, making it easy to change Torx® bits and install floor screws.



PART NO.	REF. NO.	DESCRIPTION
TX430-3	489205	TORX® SCREW DRIVER BIT (PKG OF 3)
TX490	489210	1/4" TORX® SCREW BIT HOLDER (DRIVER BIT NOT INCL.)
TX425	489204	TORX® SCREW DRIVER BIT, FOR T25 WLS100 SCREW

## Torx® Floor & Wall Liner Screws

Torx® Screws are the quick, easy and economical way to secure wood floors to trailers. Screws are 1/4" diameter, type "F" flat head, and feature self-tapping screw points. They require a 7/32" pilot hole. Some trailer builders have made the switch from CCA® treated wood to ACQ® (Alkaline Copper Quaternary) treated wood. The ACQ® treated wood appears to be more corrosive than expected. According to third party testing, zinc plating will not suffice. As a service to our customers using the new treated wood, we offer a floor screw with an approved plating material. You can expect 1000 hours of salt spray protection from these floor screws when used with ACQ® treated wood. They are less expensive than stainless steel, and have been shown by the plating manufacturer's test to outperform hot dipped galvanized when used in ACQ® treated wood.



TF02-250



Designed for ACQ® treated wood



Standard Screws

PART NO.	REF. NO.	DIA.	LENGTH	HEAD	TYPE
TFX150	386200	1 / 4"	1 1/2"	FLAT	STANDARD
TFX225	386400	1 / 4"	2 1/4"	FLAT	STANDARD
TFX250	386600	1 / 4"	2 1/2"	FLAT	STANDARD
TFX150ACQ	386205	1 / 4"	1 1/2"	FLAT	FOR ACQ TREATED WOOD
TFX225ACQ	386405	1 / 4"	2 1/4"	FLAT	FOR ACQ TREATED WOOD
TFX250ACQ	386605	1 / 4"	2 1/2"	FLAT	FOR ACQ TREATED WOOD
TF01-150	386250	PACKAGED FLOOR SCREWS, 1 / 4" X 1 1/2", (40 / PKG)			
TF01-225	386450	PACKAGED FLOOR SCREWS, 1 / 4" X 2 1/4", (40 / PKG)			
TF01-250	386650	PACKAGED FLOOR SCREWS, 1 / 4" X 2 1/2", (40 / PKG)			
WLS100	376939	WALL LINER SCREW 1" BLACK TORX WAFER SELF-DRILL			
TF02-150	386251	FLOOR SCREW, TORX HEAD 1/4" X 1.50" ACQ, 40PK			
TF02-225	386451	FLOOR SCREW, TORX HEAD 1/4" X 2.25" ACQ, 40PK			
TF02-250	386599	FLOOR SCREW TORX HEAD 1/4" X 2.50" ACQ, 40PK			

HARDWARE & CARGO CONTROL

## High-Speed Twist Drill Bits

PART NO.	REF. NO.	JOBBER LENGTH		TWIST LENGTH
		FRACTION SIZE	OVERALL LENGTH	
18JB	486000	1/8"	2 3/4"	1 5/8"
532JB	486400	5/32"	3 1/4"	2"
1164JB	486600	11/64"	3 1/4"	2 1/8"
316JB	486800	3/16"	3 1/2"	2 5/16"
1364JB	487000	13/64"	3 5/8"	2 7/16"
732JB	487400	7/32"	3 3/4"	2 1/2"
14JB	487600	1/4"	4"	2 3/4"
38JB	488000	3/8"	5"	3 5/8"

PART NO.	REF. NO.	STUBBY LENGTH		TWIST LENGTH
		FRACTION SIZE	OVERALL LENGTH	
18SB	488200	1/8"	1 7/8"	7/8"
964SB	488400	9/64"	1 15/16"	15/16"
532SB	488600	5/32"	2 3/16"	1"
1164SB	488625	11/64"	2 1/8"	1 1/16"
316SB	489000	3/16"	2 3/16"	1 1/8"
1364SB	489050	13/64"	2 1/4"	1 3/16"
732SB	489100	7/32"	2 3/8"	1 1/4"

- Made in USA
- 135 degree Split Point for accurate centering and fast penetration
- Surface Treated for abrasion resistance and rapid chip removal
- Package of 12 (38JB - Package of 6)



## Locks & Lock Brackets

Precision made of aircraft aluminum, EZ Lock Brackets from Blaylock Industries will not rust and are highly visible to discourage would-be thieves. Easy to install. Simply place bracket over the coupler, insert the pin and attach padlock. EZTL38 has a push-button locking device.



COUPLER LOCKS			
PART NO.	REF. NO.	BALL	DESCRIPTION
TL-22	290429	2"	TOTAL ENCASEMENT LOCKS BULLDOG-STYLE COUPLERS
TL-23	290430	2 5/16"	TOTAL ENCASEMENT LOCK BULLDOG STL CPLRS
EZTL33	290510	1 7/8", 2" & 2 5/16"	FITS MOST FABRICATED COUPLERS
EZTL38	290540	1 7/8" & 2"	FITS MOST FABRICATED COUPLERS
EZHB2	290700	2" & 2 5/16"	FITS HAMMERBLOW BULLDOG CPLRS
EZHB2-40D	290705	2" & 2 5/16"	EZHB2 & ONE PADLOCK

TL22



EZTL50-40D

GOOSENECK COUPLER LOCKS			
PART NO.	REF. NO.	BALL	DESCRIPTION
SL1	290845		SURE-LOCK GN COUPLER LOCK W/2 KEYS
EZTL50	290850	2 5/16" & 3"	FITS MOST GOOSENECK COUPLERS
EZTL51	290856	-	FITS GOOSENECK SETSCREW
EZTL50-40D	290855	2 5/16" & 3"	EZTL50 & ONE PADLOCK

SL1



EZTL70

EZTL70-40D



## DRAW BAR & KING PIN LOCKS

PART NO.	REF. NO.	DESCRIPTION
EZTL60	290860	FITS MOST TOW RING DRAW BARS
EZTL70	290870	FITS MOST 2" KING PINS
EZTL70-40D	290875	EZTL70 & ONE PADLOCK



## Locks & Lock Brackets



WHEEL LOCKS		
PART NO.	REF. NO.	DESCRIPTION
EZ300-1	290825	CLAMP STYLE WHL LCK, 12"-14", TIRE/WHL COMBINATIONS
EZ300-KIT	290830	EZ300-1 WHL LCK W/LUGNUT LOCKS



CARGO TRAILER DOOR LOCK		
PART NO.	REF. NO.	DESCRIPTION
DL-80	290450	LOCK WITH 2 KEYS
DL80KA	290511	KEYED ALIKE W/2 KEYS

# Master Lock®




*Protect your investment!*

To aid in the prevention of trailer theft, we have a lock to fit most popular trailer applications on the market today.


Master Lock's titanium reinforced padlock features a shrouded shackle that makes it difficult for would-be thieves to cut or pry. An ABS plastic front offers added durability and resists scratches. The Pro Series® all weather padlocks are designed for general purpose use in extreme conditions and corrosive environments. A dual deadbolt and hardened steel boron alloy shackle make this lock very difficult to pry or cut.

40D, 40KA



187XD

**TOUGH UNDER FIRE**



379DAT

PADLOCKS		
PART NO.	REF. NO.	DESCRIPTION
40D	290760	PADLOCK W/ 3/8" SHIELDED SHACKLE
40KA	290765	PADLOCK W/ 3/8" SHACKLE (KEYED ALIKE)
187XD	290770	2 7/16" TITANIUM SERIES PADLOCK (PKGD)
MLPAD1	289800	ASSORTMENT W/DISPLAY-LARGE

COUPLER LOCKS		
379DAT	290595	UNIVERSAL COUPLER LOCK
379KA	290596	UNIVERSAL COUPLER LOCK, KEYED ALIKE & RE-KEYABLE

HARDWARE & CARGO CONTROL

## Locks & Lock Brackets

**TOUGH  
UNDER  
FIRE**



**Master Lock®**



605DAT

37D



2847DAT

### TRIGGER LOCKS

PART NO.	REF. NO.	DESCRIPTION
37D	290755	FOR 2 5/16" COUPLERS, (9/32" OR 1/2" SHACKLE DIA.)
605DAT	290790	FOR 1 7/8" & 2" COUPLERS, (1/4" SHACKLE DIA.)
2847DAT	290650	ADJUSTABLE FROM 5/8" TO 2" IN LENGTH, LATCH LOCK



Master Lock introduces the world's first fully adjustable locking cable. Its 100% steel braided cable makes the Python™ cut resistant, while the cable exterior is vinyl-coated to reduce scratching. The cable adjusts, giving you the ultimate in flexibility. It also has a cinching mode so you can tighten the cable without back slipping.

### PYTHON ADJUSTABLE LOCKING CABLES

PART NO.	REF. NO.	DESCRIPTION
PLC30	290791	LOCK & CABLE 30 FT.
PLC15	290792	LOCK & CABLE 15 FT.
8413XDPF	290793	LOCK & CABLE 6 FT. (PKGD)



CL-3



### COUPLER LOCKS

PART NO.	REF. NO.	DESCRIPTION
CL-3	290100	FITS ALL ATWOOD 2" YOKE STYLE CPLRS
CL-50	290175	REDLINE UNIVERSAL COUPLER LOCK

CL-50



HARDWARE &  
CARGO CONTROL

## Locks & Lock Brackets



DT-25031P



### DT UNIVERSAL COUPLER LOCKS

PART NO.	REF. NO.	DESCRIPTION
DT-25013	290150	FOR 1 7/8", 2" & 2 5/16"
DT-25013KA	290152	UNIVERSAL CPLR LOCK, KEYED ALIKE
DT-25031P	290156	DT CPLR & BALL MOUNT DISPLAY WITH 5 DT25013 (COUPLER NOT INCLUDED)




DB-3



TM31



18-2058



3434



TM32

### LOCKING RECEIVER HITCH PINS

PART NO.	REF. NO.	DESCRIPTION
DB-3	319800	LOCKING RECVR HCH PIN, 5/8" X 3"
TM31	319804	HCHLOCK & LOCK FOR TRIGGER CPLRS, KEYED ALIKE
TM32	319806	HCHLOCK & LOCK FOR YOKE TYPE CPLRS, KEYED ALIKE
18-2058	319810	LOCKING RECVR HCH PIN, 5/8" X 3"
3434	319655	RAPID HCH LOCKING PIN SET, KEYED ALIKE, 5/8" PINS

## Safety Chains

SAE Code J684; “Two lengths of Safety Chain or equivalent shall be used” and “The strength rating of each length of chain or its equivalent and its attachments shall be equal to or exceed in minimum breaking force the GVWR of the trailer.” **For Proper Compliance**, we recommend the use of two Safety Chains or two Safety Cables attached at two separate points to the trailer.

## Safety Chains and Cables

Safety Chains provide additional assurance by securing the trailer to the tow vehicle. CC4-36 Cable is made of 1/4” diameter galvanized steel cable and has a 7,000 lb. Minimum Breaking Strength. A permanent coiled effect keeps the cable tight and prevents it from dragging.



PART NO.	REF. NO.	DESCRIPTION	DIA.	OVERALL		MIN. BREAKING
				LENGTH	CLASS	
SC31648	393400	CHAIN W/TWO S-HOOKS	3/16"	48"	I	2,000 LB
SC31627	393500	CHAIN W/ONE S-HOOK	3/16"	27"	I	2,000 LB
SC1448	393600	CHAIN W/TWO S-HOOKS	1/4"	48"	III	5,000 LB
SC1427	393800	CHAIN W/ONE S-HOOK	1/4"	30"	III	5,000 LB
CC4-36	393300	CABLE W/ONE S-HOOK	1/4"	36"	IV	7,000 LB
SC51636G30	393830	CLEVIS SLIP HOOK W/LATCH	5/16"	36"	IV	7,600 LB
SC51636G43	393843	CLEVIS SLIP HOOK W/LATCH	5/16"	36"	N/A	11,700 LB
SC3835	393900	CLEVIS SLIP HOOK W/LATCH	3/8"	35"	N/A	16,200 LB
SC3836G70	393925	CLEVIS SLIP HOOK W/LATCH	3/8"	36"	N/A	20,000 LB
SC3837	393950	CLEVIS SLIP HOOK W/LATCH	7/16"	37"	N/A	26,400 LB
SC71636G70	393962	AG HOOK W/LATCH ONE END	7/16"	36"	N/A	30,000 LB



See page K-10 for weldable chain tie-loops.

## S-Hooks & Safety Hooks

Our Safety Chain Hooks are made of high test steel alloy and bright zinc plated to assure dependability and strength. Two sizes and two styles are available. Safety Hooks 4581 and 4681 are equipped with a latch that meets requirements for all states, including California.

PART NO.	REF. NO.	HOOK DIA.	CHAIN SIZE	CLASS	TYPE	MIN. BREAKING STRENGTH
4380	401200	11/32"	3/16"	I	S-HOOK	3,000 LB
4480	401225	7/16"	1/4"	II & III	S-HOOK	5,000 LB
4581	401230	3/8"	3/16"	I	SAFETY HOOK	2,000 LB
4681	401237	7/16"	1/4"	II & III	SAFETY HOOK	5,000 LB





## Clevis Grab and Clevis Slip Hooks

These heat treated, electro-zinc plated Clevis Grab and Clevis Slip Hooks meet all requirements for Grade 43 High Test Chain. This versatile design finds many uses in industry or on the farm.

**DO NOT** use these Hooks for overhead lifting and do not exceed the working load limit.



PART NO.	REF. NO.	SIZE	TYPE	WORKING LOAD LIMIT	MIN. BREAKING STRENGTH
450-0424	400600	FOR 1/4" CHAIN	GRAB	2,600 LB	7,800 LB
450-0524	400800	FOR 5/16" CHAIN	GRAB	3,900 LB	11,700 LB
450-0624	401000	FOR 3/8" CHAIN	GRAB	5,400 LB	16,200 LB
14CHOOK	401140	FOR 1/4" CHAIN	SLIP	2,600 LB	7,800 LB
516CHOOK	401160	FOR 5/16" CHAIN	SLIP	3,900 LB	11,700 LB
385CHOOK	401180	FOR 3/8" CHAIN	SLIP	5,400 LB	16,200 LB

## Chain Load Binders




Rated to High Test chain specifications, the drop forged Chain Load Binders have free-turning 360 degree swivels on both hooks, allowing for easier handling and hook-up. Meets or exceeds CVSA cargo securement guidelines. Part 52003 is ratchet type.

PART NO.	REF. NO.	MAX. SIZE (Grade 43)	WORKING LOAD LIMIT	MIN. BREAKING STRENGTH
48312	396200	1/4"	2,600 LB	7,800 LB
48313	396250	3/8"	5,400 LB	19,000 LB
52003	396300	3/8"	5,400 LB	19,000 LB

## Grade 30 Proof Coil Chain

An excellent general purpose Chain for use as tow chains, binding, or tie-down chains and logging chains. Proof Coil is **NOT** to be used for overhead lifting. Proof Coil Chain is Grade 30 low carbon steel with electro-galvanized zinc finish and comes in a 5 gallon plastic pail.



PART NO.	REF. NO.	SIZE	WORKING LOAD LIMIT	LENGTH	MIN. BREAKING STRENGTH
316ZPC	394200	3/16"	800 LB	250 FT	3,200 LB
14ZPC	394600	1/4"	1,300 LB	141 FT	5,200 LB
516ZPC	395200	5/16"	1,900 LB	92 FT	7,600 LB
38ZPC	395800	3/8"	2,650 LB	63 FT	10,600 LB

## Grade 43 High Test Chain

High Test Chain is used in the same applications as Proof Coil Chain but has double the safe working load. High Test chain is **NOT** to be used for overhead lifting. High Test Chain is Grade 43 low carbon steel, zinc coated and comes in a 5 gallon plastic pail.



PART NO.	REF. NO.	SIZE	WORKING LOAD LIMIT	LENGTH	MIN. BREAKING STRENGTH
14HTC	394800	1/4"	2,600 LB	150 FT	7,800 LB
516HTC	395400	5/16"	3,900 LB	100 FT	11,700 LB
38HTC	396000	3/8"	5,400 LB	75 FT	16,200 LB

## Snap Hooks

Snap Hooks are designed for quick connecting and disconnecting of light duty chain, cable and rope assemblies. All are plated for rust protection. (Snap hooks are not rated.)

PART NO.	REF. NO.	DESCRIPTION	LENGTH	EYE DIA.
162S	402800	DOUBLE END BOLT SNAP	3 1/2"	5/8"
225	403000	SWIVEL BOLT SNAP	3 1/2"	5/8"
231	403200	OPEN EYE BOLT SNAP	3 1/2"	5/8"
466	403600	SNAP HOOK, CLOSED EYE	3 1/2"	5/8"



## S-Hooks, Quick Links & Spring Links

The S-Hook is a quick, easy way to connect chains and is constructed of high alloy steel with a zinc plated finish. Quick Links are for a quick connection of chain, cable and wire rope, and can be hand tightened.

PART NO.	REF. NO.	DIA.	TYPE	INSIDE LENGTH	WORKING LOAD LIMIT	MIN. BREAKING STRENGTH
610-6024	399000	3/16"	S-HOOK	1 13/16"	117 LB	351 LB
610-8024	399200	1/4"	S-HOOK	1 25/32"	189 LB	567 LB
610-1024	399400	5/16"	S-HOOK	2 1/4"	323 LB	1,292 LB
610-1224	399600	3/8"	S-HOOK	2 3/8"	428 LB	1,284 LB
750-3203	399800	3/16"	Q-LINK	1 5/8"	616 LB	2,640 LB
750-3204	400000	1/4"	Q-LINK	1 3/4"	880 LB	3,520 LB
750-3205	400200	5/16"	Q-LINK	2 1/4"	1,540 LB	6,160 LB
750-3206	400400	3/8"	Q-LINK	2 1/3"	1,900 LB	7,600 LB
750-3207	400450	1/2"	Q-LINK	3 1/3"	3,300 LB	10,600 LB
380-4410	400500	5/16"	SPRING LINK	2 1/2"	350 LB	N/R
380-4425	400525	3/8"	SPRING LINK	3 1/8"	425 LB	N/R



Q-Link

Spring Link



S-Hook



## Uptite Cargo Securing Rails & Hardware

Fabricated from 6061-T6 aluminum extrusions for maximum strength, Up-Tite provides flexibility, strength (1,000 lbs.), and simplicity. With a clean, anodized finish for corrosion-resistant protection, Up-Tite can be mounted wherever tie-downs are needed. The Up-Tite design allows items to be secured by moving the slide and locking it in place with a universal hook. Each system comes with a 1-year warranty against product defects.



RUT95C



UTHS01



UTHS03



UTHS05

**Manufactured and assembled in the U.S.A.**

PART NO.	REF. NO.	DESCRIPTION
RUT95C	404671	CARGO SECURING ALUM RAIL 95" LONG
UTHS05	404672	SECUREMENT HOOK FOR UPTITE RAIL SLIDES
UTHS03	404673	LARGE SLIDE ANCHOR FOR USE W/UPTITE RAIL
UTMH	404674	MOUNTING KIT FOR TWO 95" UPTITE RAILS
UTHS01	404675	SMALL SLIDE ANCHOR FOR USE W/UPTITE RAIL

## Cargo Control Products



These packaged products are ideal for retail display. A complete line of products is available, including Tie Down Straps, Ratchet Straps, Tow Straps, and Anchor Points.

TA08-1515

TA08-410



PART NO.	REF. NO.	DESCRIPTION	CAPACITY
TA08-115	396405	1"X15' RATCHET STRAP ASSMBLY	1,500 LB
TA08-1515	396407	1 1/2"X15' RATCHET STRAP ASSEMBLY	5,000 LB
TA08-220	396409	2"X20' RATCHET STRAP ASSEMBLY	4,500 LB
TA08-410	404660	REMOVABLE STAINLESS STEEL MOTORCYCLE WHEEL CHOCK	



## KINEDYNE® Cargo Control Straps

Our Ratchet Cargo Straps give you maximum safety in load control for most flatbed requirements. Assemblies have 2" wide, yellow polyester web straps, with a latex treatment for extra protection from moisture and weather. The #802 Replacement Fixed End includes #801 Ratchet, 2" x 18" wide webbing, with a flat hook on one end. Our tie down straps with vinyl coated S-hooks are available in two designs and are used in many different ways to secure cargo; anywhere a light duty tie down is needed.



801



802HD-27F



802HD-27W



75152

PART NO.	REF. NO.	DESCRIPTION
C51906	396425	CARGO CNTRL, 1" X 6' 1.2K W/CAMBUCKL & J-HOOK
75152	396450	CARGO CNTRL, 1" X 15' 1.2K W/RATCHET & J-HOOK
802HD-27W	396500	CARGO CNTRL, 2" X 27' 10K W/RACHET & WIRE HOOK
802HD-27F	396600	CARGO CNTRL, 2" X 27' 10K W/RACHET & FLAT HOOK
802HD-30F	396800	CARGO CNTRL, 2" X 30' 10K W/RACHET & FLAT HOOK
804-RATCHET	396805	CARGO CNTRL, RATCHET 11K FOR 2" STRAP
519920	396810	CARGO CNTRL, FIXED END STRAP 11K W/FLAT HOOK



## KINEDYNE® Strap Winches

4" Winches offer flexibility in securing all types of cargo on flatbed trailers, rail cars and other vehicles. Choose from the Fixed Winch designed to be welded in place or the Portable Winch designed to mount various places along the trailers side channel and secured with 2 locking screws. Accommodating up to 4" wide cargo webbing, these Winches lock when tension is applied to the strap for a safe, secure tie-down.



37030



1820



1820P2

PART NO.	REF. NO.	TYPE
1820	398180	CARGO CNTRL, WINCH 4" WELD-ON, 5.5K LOAD LIMIT
1820P2	398185	CARGO CNTRL, WINCH 4" BOLT-ON, 5.5K LOAD LIMIT
37030	398190	CARGO CNTRL, WINCH BAR W/KNURLED HANDLE
4821HD-27F	398200	CARGO CNTRL, STRAP 2" X 25' 10K W/FLAT HOOK
4821HD-30F	398400	CARGO CNTRL, STRAP 2" X 28' 10K W/FLAT HOOK
4821XW-27F	398600	CARGO CNTRL STRAP 4" X 27' 16.2K W/FLAT HOOK
4821XW-30F	398800	CARGO CNTRL STRAP 4" X 30' 16.2K W/FLAT HOOK



## KINEDYNE® Ratcheting Winch Bar

HARDWARE & CARGO CONTROL



The *RATCHETING WINCH BAR* turns all winches into ratcheting winches.

PART NO.	REF. NO.	DESCRIPTION
37032	398183	KINEDYNE RATCHETING WINCH BAR

## Winch Straps

All our Winch Straps are made of tough polyester web, with a latex finish for added protection from moisture and weather conditions. All come with a Flat Hook on one end.



PART NO.	REF. NO.	WIDTH	LENGTH	MIN. BREAKING STRENGTH	WORKING LOAD LIMIT
4821HD-27F	398200	2"	25 FT	10,000 LB	3,335 LB
4821HD-30F	389400	2"	28 FT	10,000 LB	3,335 LB
4821XW-27F	398600	4"	27 FT	16,200 LB	5,400 LB
4821XW-30F	398800	4"	30 FT	16,200 LB	5,400 LB



## Axle Straps



Used for securing a vehicle to the bed of a truck or trailer. The #804AS has a snap hook and ring to form a loop around the axle, while the loose end is attached to the ratchet.

PART NO.	REF. NO.	DESCRIPTION	WIDTH	LENGTH	MIN. BREAKING STRENGTH
804AS	396820	AXLE STRAP ASSY	2"	12 FT	5,000 LB
804HK	396900	REPL RATCHET FOR 804AS	2"	N/A	11,000 LB
4821HD-AS	396830	REPL AXLE STRAP FOR 804AS	2"	12 FT	5,000 LB
802AS	396815	AXLE STRAP, W/DELTA RINGS	2"	2 FT	10,000 LB



## Wheel Nets



You can secure a vehicle being towed by wrapping a Wheel Net around the tire and winching it to the trailer. Our Wheel Nets are constructed of tough polyester cargo webbing with a protective latex finish and a flat hook on one end.

PART NO.	REF. NO.	DESCRIPTION	WIDTH	MIN. BREAKING STRENGTH	WORKING LOAD LIMIT
909	397400	FITS 13" TIRES	2"	7,500 LB	2,500 LB
910	397600	FITS 14" & 15" TIRES	2"	7,500 LB	2,500 LB
911	397650	FITS 16" & 16.5" TIRES	2"	7,500 LB	2,500 LB



## Tarp Straps

Tarp straps are constructed of heavy-duty natural rubber with galvanized metal S-hooks. They offer excellent elongation, strength and low temperature flexibility.

PART NO.	REF. NO.	RUBBER LENGTH	OVERALL LENGTH
914	398825	10"	14"
1520	398850	15"	19"
2025	398875	21"	25"
3136	398900	31"	35"



## E-Track Cargo Control



Kinedyne E-track is powder coated 12 gauge steel, rated at 50,000 psi minimum yield. Track mounts on wall or floor, and can be installed with screws, rivets or welded (by qualified installer). Straps are color coded. 12' straps are yellow, 16' straps are grey and 20' straps are blue.

PART NO.	REF. NO.	DESCRIPTION
ET4310	398100	10' HORIZONTAL STYLE
ET4305	398105	5' HORIZONTAL STYLE
ET2019	398110	10' VERTICAL STYLE
ET8730	398111	END CAP
ET8264	398113	1" RING, 2K HEAVY DUTY
ET6001	398115	D-RING 2" W X 6" L, 1K
ET8301	398117	2" D-RING, 2K HEAVY DUTY
ET1845	398120	WOOD BEAM SOCKET FOR 2" X 6" BOARDS
ET6512	398125	STRAP 2" X 12' W/CAM BUCKLE, 835 LB
ET6516	398130	STRAP 2" X 16' W/CAM BUCKLE, 835 LB
ET6520	398135	STRAP 2" X 20' W/CAM BUCKLE, 835 LB
ET6412	398145	STRAP 2" X 12' 1K W/RATCHET
ET6416	398150	STRAP 2" X 16' 1K W/RATCHET
ET6420	398155	STRAP 2" X 20' 1K W/RATCHET



HARDWARE & CARGO CONTROL



Storage Solutions for Enclosed Trailers



**Tough + Durable + Functional.**



SP180CSA

SPJCA



SP30CSA

SP280HSA



HARDWARE &  
CARGO CONTROL



SP45HFTA

PART NO.	REF. NO.	DESCRIPTION
SP180CSA	396356	18" X 16" X 5.5" JUNIOR OIL CABINET/ 2 ROWS OF 6 OIL CANS
SPJCA	396359	JR. OIL CABINET W/ TRAY & BUTTONS
SP280HSA	396362	DOUBLE HELMET SHELF
SP30CSA	396365	30" CABINET W/ FOLDING WORK TRAY
SP45HFTA	396371	45" FOLDING ALUMINUM TABLE



## Storage Solutions for Enclosed Trailers

**Tough + Durable + Functional.**



**SP135FLHOA & SPFLTBL**



(Flashlight & Holder are sold separately.)



**SP8SHA**



**SPRLBL (with light)**



**MWCB**



**MWCC**



**MWCFKM**  
(Mounting Kit-Metal.)



**MWCFKM**  
(Mounting Kit-Wood.)

PART NO.	REF. NO.	DESCRIPTION
SPFLTBL	396350	BLACK RIBBED FLASHLIGHT
SP135FLHOA	396353	FLASHLIGHT HOLDER
SP8SHA	396368	8" STRAP TRACK
SPRLBL	396374	ALUMINUM RECESSED LIGHTBUCKET KIT, W/ LIGHT
SPRLB	396377	ALUMINUM RECESSED LIGHT BUCKET KIT, NO LIGHT (not pictured)
SP26AST	396380	26" STRAP TRACK
47556-11	396383	5,000 LB DOUBLE STUD TIE DOWN
49363-10-72	396386	LOW PROFILE FLOOR TRACK 0.5"H X 2.6"W X 72"L
SPPGF	396389	END CAP FOR FLOOR TRACKING
N91-5900BK	396392	BOLT KIT FOR STRAP TRACK KIT (not pictured)
MWCC	404650	MOTORCYCLE WHEEL CHOCK, CHROME
MWCB	404652	MOTORCYCLE WHEEL CHOCK, BLACK POWDER COAT
MWCFKW	404654	HDWE MOUNTING KIT, MOTORCYCLE WHEEL CHOCK, WOOD
MWCFKM	404656	HDWE MOUNTING KIT, MOTORCYCLE WHEEL CHOCK, METAL



**SP26AST**

**49363-10-72**



**47556-11**



**SPPGF**

**HARDWARE & CARGO CONTROL**

## Professional Landscape Trailer Accessories



From This



To This

With the RACK'EM trailer organizing rack system, your trailer can become the safe, clean, organized space it should be. RACK'EM offers a complete line of professional racks for open and enclosed trailers.

RACK'EM enclosed trailer equipment racks feature a hook design at the top of the rack that allows them to hang from the trailer for added strength. They are pre-drilled so that they may be screwed securely to the wall. The unique and durable "Hammered" paint finish will last for many years.



RA-1L



RA-1S



RA-3



RA-4



RA-5



RA-7



RA-9

Enclosed Trailer Accessories		
PART NO.	REF. NO.	DESCRIPTION
RA-1L	350801	5 GAL GAS CAN RACK
RA-1S	350803	2.5 GAL GAS CAN RACK
RA-3	350807	HEDGE TRIMMER / CHAINSAW RACK
RA-4	350809	BLOWER RACK
RA-5	350811	TRIMMER RACK
RA-7	350815	6-HOOK MULTI-TOOL RACK
RA-8	350817	SINGLE HOOK RACK
RA-9	350819	TRIM LINE RACK
RA-10	350821	LUBRICATION RACK & BIN
RA-11	350823	2-HOOK MUTLI-TOOL RACK
RA-13	350825	SHELF KIT
RA-15	350829	SHOVEL RACK
RA-16	350831	SPARE TIRE HOLDER



RA-13 with shelves installed



RA-8



RA-10



RA-11



RA-13



RA-15



RA-16

HARDWARE & CARGO CONTROL

## Professional Landscape Trailer Accessories

RACK'EM open trailer equipment racks are pre-drilled to permit quick installation. The "Hammered" paint finish and heavy gauge steel construction ensure a durable and long lasting rack, ideal for securing your valuable equipment on the trailer.



RA-2



RA-6RL



RA-18



RA-14



RA-17



RA-19



RRD



RA-20



RA-25



RA-28

### Open Trailer Accessories

PART NO.	REF. NO.	DESCRIPTION
RA-2	350805	TRIM LINE RACK
RA-6RL	350813	TRIMMER RACK, LOCKABLE
RRD	350814	TRIMMER HOLD DOWN DEVICE FOR RA-6RL (1 PAIR)
RA-14	350827	BASKET KIT
RA-18	350833	WATER COOLER RACK (OPEN OR ENCLOSED)
RA-19	350835	BLOWER RACK, LOCKABLE
RA-23	350843	RACK'EM SHVL/RACK/BROOM RACK FOR OPEN TRLRS

### Other RACK'EM Accessories

PART NO.	REF. NO.	DESCRIPTION
RA-17	404670	MOTORCYCLE WHL CHOCK, STEEL, W/RMVBLE BASE
RA-20	350837	RACK'EM TRAILER DOLLY, 1 7/8" BALL SIZE
RA-25	290840	CLAMP STYLE WHEEL LOCK LOCK-EM MAGNUM 12-20"
RA-28	350802	RACK EM FITZ-ALL ALUM LADDER RACK, 2 ADJ RACKS

HARDWARE & CARGO CONTROL

## Security Systems & Accessories



# ELIMINATE THEFT

### THE TG1 & TG2 SYSTEMS INCLUDE:

- Solar panel powered
- 2 programmed remotes
- Steel Control Cabinet
- Screw cover lid w/locking tab
- Battery Voltage LED
- Alarm Status LED
- Backup Battery
- External 124Db Siren
- Internal 124Db Siren
- Adjustable Vibration Sensor
- Door switches w/contacts
- Additional charging port
- Lights flash during violation
- Trailer Brakes Lock during violation
- All hardware & wiring included
- Detailed installation guide
- Detailed wiring schematic
- Installion dvd
- 5 Year Warranty



10" x 9" x 4" Steel Enclosure  
(1 self-contained alarm system shipped assembled)



Remotes



Door Switches w/Contacts



External Siren



Low Profile Ball-Style Door Switch



2-Way GPS Control



### \*Additional Items Available for the TG1 System:

- 1-Way Pager
- Low Profile Ball-Style Door Switch

### \*Additional Items Available for the TG2 System:

- 2-Way Pager
- 2-Way GPS
- Key Switch Activation
- Low Profile Ball-Style Door Switch

**\*Contact your local Redneck Branch for more information on additional items that are available for your Security System.**



Solar Panel

2-Way Pager



SV-6014 Mini-Display

All components are included in this 5 year warranty.



HARDWARE & CARGO CONTROL



**Additional Charging Port**  
1 shipped assembled

**Battery Voltage LED**  
1 shipped assembled

### SECURITY SYSTEM

PART NO.	REF. NO.	DESCRIPTION
RSA-325-TG1	290901	TG1 ENCLOSED CARGO TRAILER ALARM SYSTEM
RSA-300-TG2	290903	TG2 ENCLOSED CARGO TRAILER ALARM SYSTEM

### ACCESSORIES

PART NO.	REF. NO.	DESCRIPTION
SV-6005	290906	WEATHER PROOF DOOR SWTCH W/CONTACTS
SV-6014	290910	TRAILERGUARD/HORSEGUARD MINI DISPLAY
SV-6020	290911	GPS CONTROL MODULE 2-WAY ACTIVATION FEES INCL.

## Security Systems & Accessories

# ELIMINATE THEFT



### THE HG SYSTEM INCLUDES:

- Solar panel powered
- 2 programmed remotes
- 2-Way Pager
- Low Profile Ball-Style Door Switch
- Steel Control Cabinet
- Screw cover lid w/locking tab
- Battery Voltage LED
- Alarm Status LED
- Backup Battery
- External 124Db Siren
- Internal 124Db Siren
- Adjustable Vibration Sensor
- Door switches w/contacts
- Additional charging port
- Siren ON/OFF Switch
- Shock ON/OFF Switch
- Lights flash during violation
- Trailer Brakes Lock during violation
- All hardware & wiring included
- Detailed installation guide
- Detailed wiring schematic
- Installion dvd
- 5 Year Warranty



### \*Additional Items Available for the HG System:

- 2-Way GPS
- Key Switch Activation

\*Contact your local Redneck Branch for more information on additional items that are available for your Security System.




SV-6014 Mini-Display

All components are included in this 5 year warranty.



SECURITY SYSTEM

PART NO.	REF. NO.	DESCRIPTION
RSA-300-HG1	290902	HORSE TRAILER ALARM SYSTEM



- ① **Additional Charging Port**  
1 shipped assembled
- ② **Battery Voltage LED**  
1 shipped assembled
- ③ **On/Off Toggle Switch for Sirens**  
1 shipped assembled
- ④ **On/Off Toggle Switch for Vibration**  
1 shipped assembled

ACCESSORIES		
PART NO.	REF. NO.	DESCRIPTION
SV-6005	290906	WEATHER PROOF DOOR SWTCH W/CONTACTS
SV-6014	290910	TRAILERGUARD/HORSEGUARD MINI DISPLAY
SV-6020	290911	GPS CONTROL MODULE 2-WAY ACTIVATION FEES INCL.

HARDWARE & CARGO CONTROL

## Redline Packaged Hardware



### Packaged Chain & Rope Hardware

PART NO.	REF. NO.	DESCRIPTION
HW02-100	398906	CLASS 1 SAFETY CHAINS, 27" X 3/16"W/S-HOOKS 2PK
HW02-110	398907	CLASS 3 SAFETY CHAINS, 30" X 1/4" W/S-HOOKS 2PK
HW01-005	398910	SAFETY CHAIN HOOK, 3/8", 3K CAP
HW01-020	398916	S-HOOK, 5/16", 185 LB. CAP
HW01-025	398918	S-HOOK, 3/8", 270 LB. CAP
HW01-030	398920	CLEVIS SLIP HOOK, 1/4"
HW01-035	398922	CLEVIS SLIP HOOK, 5/16"
HW01-040	398924	CLEVIS SLIP HOOK, 3/8"
HW01-050	398928	CLEVIS GRAB HOOK, 5/16"
HW01-055	398930	CLEVIS GRAB HOOK, 3/8"
HW01-065	398934	CHAIN QUICK LINK, 5/16"
HW01-070	398936	CHAIN QUICK LINK, 3/8"
HW01-085	398944	WINCH STRAP HOOK



### Benefits of Redline Packaged Products

- Increased sales revenue through:
  - impulse purchases
  - higher per unit selling price
- Less inventory shrinkage:
  - better product identification
  - reduced theft
- More efficient retail operations:
  - applications on package
  - UPC bar codes
  - improved product identification
- Fewer returns due to incorrect product selection

### Packaged Trailer Body Hardware

PART NO.	REF. NO.	DESCRIPTION
HW03-010	404021	ALUMINUM TIE LOOP, BOLT-ON
HW03-020	404022	D-RING, SURFACE MNT, BOLT-ON
HW03-030	404023	D-RING, RECESSED, BOLT-ON, PLATED
HW03-040	404024	D-RING, SURFACE PLATE MNT
HW03-050	404025	D-RING, SURFACE MNT, BOLT-ON
HW03-060	404026	D-RING, SURFACE MNT, WELD-ON
HW03-070	404030	D-RING, RECESSED BOLT-ON, PLATED
HW03-080	404035	STAKE POCKET, WELD-ON
HW03-100	404050	FOLDING STEP/HANDLE, BOLT-ON

### Packaged Trailer Door Hardware

PART NO.	REF. NO.	DESCRIPTION
HW05-010	376961	"L" STYLE DOOR HANDLE
HW05-020	376962	"T" STYLE DOOR HANDLE
HW05-040	376966	LOCKING PADDLE LATCH, "JR"
HW05-050	376968	LOCKING PADDLE LATCH, FULL SIZE
HW05-060	376970	LOCKING T-HANDLE LATCH
HW05-090	376976	DOOR HOLD-BACK, HOOK/KEEPER



HARDWARE & CARGO CONTROL

## Underbody Toolboxes

- Powder coat finish passes 500-hour salt spray exposure testing.
- Leak-free continuous weather seal in door frame area; others with multiple piece seals may leak.
- Ultra-reliable T-handle locks seal every time and cannot be easily vandalized. Paddle latches used on other toolboxes do not always latch on the proper catch, causing leaks, and they can easily be pried open with a crowbar.
- Stainless steel continuous hinge is designed for years of hard service.

PART NO.	REF. NO.	LENGTH	HEIGHT	DEPTH
UB1416-24	350900	24"	14"	16"
UB1818-24	350920	24"	18"	18"
UB1818-30	350930	30"	18"	18"
UB1818-36	350940	36"	18"	18"
UB1818-48	350960	48"	18"	18"
UB1818-60	350967	60"	18"	18"



## Aluminum Underbody Toolboxes

Designed to complement aluminum trailers and truck beds, these durable boxes are constructed of .100" aluminum treadplate. The stainless steel T-latch and hinge, combined with an automotive grade door seal, keep this attractive box in use for many years.

PART NO.	REF. NO.	LENGTH	HEIGHT	DEPTH
ALUB1818-24	350860	24"	18"	18"
ALUB1818-30	350862	30"	18"	18"
ALUB1818-36	350864	36"	18"	18"
ALUB1818-48	350866	48"	18"	18"



## Stainless Steel Door Toolboxes

Offering the low cost advantages of painted steel boxes with a rust proof, corrosion proof T304L Stainless Steel door.

- Stainless steel continuous piano hinge
- Automotive type bulb seal to prevent moisture from entering
- A built-in gutter to keep water out
- Powdercoat finish
- 13 gauge steel body and mirror finish stainless steel door

PART NO.	REF. NO.	LENGTH	HEIGHT	DEPTH
SSDUB1818-24	350925	24"	18"	18"
SSDUB1818-30	350935	30"	18"	18"
SSDUB1818-36	350945	36"	18"	18"
SSDUB1818-48	350965	48"	18"	18"



## Mounting Brackets

For mounting underbody toolboxes to truck or trailer frames. These brackets are pre-drilled for convenient attachment. Constructed of heavy gauge steel, brackets are powder coated to prevent corrosion.

PART NO.	REF. NO.	DESCRIPTION
UB-BRACKET	350998	MNTG BKT, L-TYPE (2 REQD)



## A-Frame Toolboxes



Ideal for the front of cargo, horse and utility trailers. Powder coated boxes are constructed of 14 gauge steel, feature a stainless steel latch and a gas prop to hold the lid in the open position. Aluminum boxes feature .072" diamond treadplate, a stainless steel latch and hinge.

PART NO.	REF. NO.	DEPTH	HEIGHT	WIDTH	TYPE
TB1414-30	350980	14"	14"	30"	STEEL
TB1620-36	350990	16"	20"	36"	STEEL
ALTB1414-30	350970	14"	14"	30"	ALUM.
ALTB1620-36	350975	16"	20"	36"	ALUM.

## Poly Trailer Tongue Toolbox

Made of durable composite material, this rust free box will maintain a neat, clean appearance; an attractive addition to any trailer. Built of high-density polyethylene, its weather-resistant design keeps moisture and the elements away from box contents. The top of the box and bottom of the lid interlock (tongue & groove) for improved water/dust resistance.



The back of the box can be mounted directly against the front wall of a trailer, with the lid opening up to a full upright position. The integrated hinge design positions the rear of the box lid 1-1/4" in front of the back edge of the tongue box.



This full-size A-Frame design box is large enough to hold lots of cargo; box size will even accommodate our Colt Hoist hydraulic-pump power unit and battery for dump trailers! Outside box dimensions are: 14" tall, 20" deep, 35.5" wide. The box can be locked for cargo security, which discourages theft and/or tampering of tongue box contents. A padlock-hasp latch is integrated into box front. (Lock not included.)

This economical cargo control accessory can be used on virtually any type of trailer and it provides multiple sales opportunities for OEMs and Dealers of utility, cargo, marine (PWC) and dump trailers.



The Poly Tongue Box is priced at approximately half the cost of our comparably sized steel A-Frame tongue boxes.

PART NO.	REF. NO.	DESCRIPTION
TBP1420-355	350977	POLY TONGUE BOX W/HASP, 14"T x 20"D x 35.5"W

## Universal Toolbox Shelving Systems

- Fits all standard 18"x18" underbody boxes.
- Shelf lengths of 24", 30", 36" & 48".
- No tools required, installs in minutes.
- Adjustable shelf height for greater flexibility.
- Modular - choose between single or multiple shelves.
- Durable 16ga galvanized steel construction.



PART NO.	REF. NO.	DESCRIPTION
UB-SHELF-1818EP	350991	END PANEL FOR 18"X18" BOX (2 REQD)
UB-SHELF-24	350992	24" SHELF SECTION FOR 18"X18" BOX
UB-SHELF-30	350993	30" SHELF SECTION FOR 18"X18" BOX
UB-SHELF-36	350994	36" SHELF SECTION FOR 18"X18" BOX
UB-SHELF-48	350995	48" SHELF SECTION FOR 18"X18" BOX

## Trailer Tarping Systems

- Universal hand crank tarping system, designed for quick/convenient tarping of loads.
- Pre-assembled, adjustable roller assembly fits trailers up to 101" wide.
- User-friendly bolt-on or weld-on installation.
- Extruded aluminum roller features a tarp spline groove for positive tarp attachment.
- Convenient, foldaway crank handle locks the tarp/roller in any position, (fully extended, fully retracted or anywhere in-between).
- 80" x 14 ft. tarps, in solid or mesh versions, fit most trailers - special sizes available.
- An ideal addition to any dump trailer, landscaping trailer, etc.



**TurboTarp**



PART NO.	REF. NO.	DESCRIPTION
TT-4200	398805	TURBO-TARP ROLLER ASSY, FOR TRLRS UP TO 101" WIDE
TT-MESH-80X14	398810	MESH TARP FOR TURBO-TARP, 80" X 14FT
TT-TARP-80X14	398815	SOLID TARP FOR TURBO-TARP, 80" X 14FT

HARDWARE &  
CARGO CONTROL

\* See page K-21 for Tarp Straps

## Bolster and Bunk Brackets

For boat trailers and boat lifts, the 1-piece adjustable bracket mounts the Bolster vertically and the 2-piece adjustable bracket mounts Bunk boards at an angle. The brackets provide additional support and ease in loading and unloading boats. Zinc coating protects against corrosion.



294



109

PART NO.	REF. NO.	OVERALL LENGTH	WIDTH	PIECES
106	407000	9 3/8"	2"	1
109	407200	11 3/4"	2"	1
264	407400	8"	2 1/2"	2
294	407600	10"	2 1/2"	2
284	407800	12"	2 1/2"	2
216	407900	REPL TOP ANGLE FOR 264, 294, & 284 ASSEMBLIES		
264B	407410	REPL BOTTOM BRACKET FOR 264 ASSEMBLY		
294B	407610	REPL BOTTOM BRACKET FOR 294 ASSEMBLY		
284B	407810	REPL BOTTOM BRACKET FOR 284 ASSEMBLY		

## Roller Brackets

Universal Roller Brackets will accommodate any size roller length. The One-Piece Bracket is for 12" rollers only. Both Brackets feature a five inch slot, which allows vertical adjustment for stabilizing boat on trailer, and zinc coating to protect against corrosion. Both use a 5/8" Roller Shaft (#135) and Pal Nuts (#1310).



400L & 400R



1200

PART NO.	REF. NO.	DESCRIPTION
400L	408000	UNIVERSAL BRACKET, LH SIDE
400R	408200	UNIVERSAL BRACKET, RH SIDE
1200	408300	1-PIECE BRACKET FOR 12" ROLLERS

## Steel Roller Shaft and Pal Nuts

Steel Roller Shaft supports and allows free turning of rollers. Pal Nuts are zinc plated and attach to the ends of the steel shaft to retain the roller within the Universal Roller Brackets (#400L & #400R) and One-Piece Bracket (#1200).



1310



135

PART NO.	REF. NO.	DESCRIPTION
135	408400	STEEL SHAFT 5/8" X 13 1/2"
1310	408600	PAL NUT 5/8", USE W/135 SHAFT

## Rubber Side Guide Roller and Cap

Rubber Side Guide Roller and Cap help center the boat on the trailer, preventing damage to fenders and taillight brackets.



836



305

PART NO.	REF. NO.	DESCRIPTION	DIMENSIONS	I.D. HOLE
305	406600	RUBBER END CAP	2 1/2"	5/8"
836	406800	SIDE GUIDE RUBBER ROLLER	2 1/2" X 9"	5/8"

## Rubber Bow, Deep "V" Keel and Spool-Type Keel Rollers

The Bow Roller acts as a bow stop for a boat and is normally used with a trailer's winch stand. Deep "V" Keel Roller is designed to support the added weight of heavier boats by properly fitting the curve of the keel, allowing easier launching and loading of boats. The Spool-Type Keel Roller is designed to support the keel of lighter boats.



807



805



804

PART NO.	REF. NO.	ROLLER	TYPE	LENGTH	I.D.
803	404800	BOW	"V"	3"	1/2"
804	405000	KEEL	SPOOL	4"	5/8"
805	405200	KEEL	SPOOL	5"	5/8"
812	405400	KEEL	"V"	8"	5/8"
811	405600	KEEL W/STEEL SLEEVE INSERT	"V"	10"	5/8"
807	405800	KEEL W/STEEL SLEEVE INSERT	"V"	12"	5/8"

HARDWARE & CARGO CONTROL

## Rubber Bow Guards

The Rubber Bow Guard acts as a stop to protect and hold the bow of the boat when loading a boat onto a trailer. Attaches to the trailer's winch stand.



PART NO.	REF. NO.	WIDTH	HOLE I.D.
860	406000	2"	1/2"
862	406400	3"	1/2"