

Towing Accessories

Class III & IV Bolt-on Receivers	G-3 - G-4	Pintle Hooks	G-11
Bumper Receiver Hitches & Receiver Tubes.....	G-4	Pintle Hitch	G-12
Drop Hitches	G-4	Combination Pintle Hitch	G-12
Weight Distribution Hitches	G-5	Holland Duplex Hitch.....	G-13
Cargo Platforms	G-5	Smooth Shank Hitch Balls.....	G-13
Bike Carrier	G-5	Gooseneck Channels.....	G-13
Receiver Accessories	G-5	Gooseneck Hitch Plates	G-13
Multi-Ball Adjustable Receiver Hitch.....	G-6	Folding Gooseneck Hitch Ball.....	G-14
Receiver Ball Mounts & Pintle Mounts	G-7	Folding Ball Mounting Kits	G-14
Cushioned Ball Mounts	G-7	Gooseneck to 5th Wheel Adapter & Accessories.....	G-15
Specialty Ball Mounts	G-7	5th Wheels.....	G-15
Aluminum Ball Mounts	G-8	King Pins	G-15
Locking Ball Mounts	G-8	Hijacker RV 5th Wheels & Gooseneck Hitches	G-16
Redline Packaged Hitch Balls.....	G-8	Hijacker Installation Brackets & Mounting Rails	G-17
Hitch Balls.....	G-9	B & W Gooseneck Hitches & RV 5th Wheel	G-18
Interchangeable Hitch Balls	G-10		
Wireless Hitching Camera System	G-10	Informational Pages	
Telescoping Hitch Aligner	G-10	Receiver Hitch Types.....	G-2
Hitch Ball Wrench.....	G-11	Selecting a Ball Mount with Correct Rise or Drop.....	G-6

Receiver Hitch Types

Custom Fit 1 Piece

Custom fit hitches are the easiest to install. These application specific hitches are available in Class II, Class III, Class IV, and Heavy Duty.









Multi-Fit 3 Piece

Designed to fit a wider range of vehicles than Custom Fit hitches, the Multi-Fit units require some assembly. Popular for retail and when stocking a limited line of hitches, the Multi-Fit units are available in Class II, Class III, and Class IV.



Choose the right hitch to handle the load

Trailer Types:						
Hitch Class:	Class I	Class II	Class III	Class IV	5th Wheel	Gooseneck
Maximum Load Capacity:	Gross Trlr Weight Up to 2,000 lbs. Tongue Weight Up to 200 lbs.	Gross Trlr Weight Up to 3,500 lbs. Tongue Weight Up to 350 lbs.	Gross Trlr Weight Up to 5,000 lbs. Tongue Weight Up to 500 lbs.	Gross Trlr Weight Up to 12,000 lbs. Tongue Weight Up to 1,200 lbs.	Gross Trlr Weight Up to 24,000 lbs.	Gross Trlr Weight Up to 25,000 lbs. Tongue Weight Up to 6,250 lbs.
Tow Vehicle						
Sub Compact & Compact Cars	X	Not Recommended	Not Recommended	Not Recommended	Not Applicable	Not Applicable
Mid Size Cars	X	X	Not Recommended	Not Recommended	Not Applicable	Not Applicable
Mid Size Pickups & Sport Utility Vehicles & Minivans	X	X	X	Not Recommended	X Pickups Only	X Pickups Only
Full Size Cars Pickups & Sport Utility Vehicles & Vans	X	X	X	X	X Pickups Only	X Pickups Only

Gross Trailer Weight is the total weight of the trailer as it is towed. This includes the weight of the trailer and all of its contents.

Tongue Weight is the load supported by the hitch when the trailer is connected to the trailer ball. Excess tongue weight will cause unstable towing as weight is shifted from the vehicle's front suspension to the rear suspension.

MODEL	NOTES	YEAR	PART#	REF#	Wt. Carrying	Wt. Distributing
CHEVROLET & GMC Full Size Pickups						
SILVERADO/SIERRA/ 2500HD/3500 SERIES	3/4 & 1 TON/NEW STYLE/8' BED	2001-07	RRH14008	314932	10000	12000
CHEVY/GMC 1500/2500		1999-07	RRH15006	314945	12000	14000
SILVERADO/SIERRA	3/4 & 1 TON	2001-07	RRH15008	314934	12000	14000
CHEVY CLASSIC & GMC	6' & 8' BED/OLD STYLE	1988-00	RRH14081	314938	10000	12000
GM 1500	NEW BODY	2007-08	RRH13301	314941	6000	10000
GM 1500	NEW BODY	2007-08	RRH14301	314943	10000	12000
SILVERADO/SIERRA/ Z71/1500/2500LD	REG. & EXTENDED 6' & 8' BED/EXCEPT SS	1999-07	RRH13332	314946	6000	10000
SILVERADO/SIERRA/ Z71/1500/2500LD	REG. & EXTENDED 6' & 8' BED/EXCEPT SS	1999-07	RRH14332	314947	10000	12000
SILVERADO/SIERRA/ 2500HD/3500 SERIES	3/4 & 1 TON/NEW STYLE/8' BED	2001-07	RRH13008	314973	6000	10000
SIERRA/SILVERADO	3/4 & 1 TON SHORT BED	2001-07	RRH13108	314976	6000	10000
CHEVY & GMC	3/4 & 1 TON CLASSIC	1988-98	RRH13042	314979	6000	10000
CHEVROLET & GMC Mid-Size Pickups, SUV's, & Vans						
ASTRO/SAFARI	ALL EXCEPT 16" SPARE	1985-05	RRH13035	314902	4000	6000
CHEVY TRK/SUB/YUKN/TAHOE	OLD BODY STYLE	1992-00	RRH13029	314927	6000	10000
SUBURBAN/YUKON XL/ TAHOE/DENALI/ESCALADE	NEW BODY STYLE	2000-02	RRH13402	314929	6000	10000
EQUINOX, TORRENT	ALL	2004-08	RRH13591	314935	3500	4000
SUBURBAN/YUKON XL/ TAHOE/DENALI/ESCALADE	NEW BODY STYLE	2003-06	RRH13422	314936	6000	10000
CHEVY/GMC 1500/2500	COLORADO/CANYON	2004-08	RRH13252	314940	4000	6000
CHEVY FULL SIZE VAN		1978-96	RRH13016	314939	6000	10000
CHEVY/GM MINIVANS		1997-05	RRH13344	314990	4000	6000
SAVANNAH/EXPRESS	FULL SIZE VAN	1996-08	RRH13040	314992	6000	10000
S-10/S-15 PICKUP	ALL INCL. SPORTSIDE	1983-04	RRH13021	314993	4000	6000
BLAZER/JIMMY S10/S15	2 & 4 DOOR	1995-02	RRH13020	314996	5000	6000
DODGE Full Size Pickups						
DODGE RAM	1/2, 3/4 & 1 TON	2002-08	RRH13361	315097	6000	10000
DODGE RAM	ALL	2003-08	RRH13326	315098	5000	10000
DODGE RAM	1/2, 3/4 & 1 TON	2003-08	RRH15061	315100	12000	14000
FULL SIZE DODGE, 6' & 8' BED	EXCEPT 2002 RAM 1500	1967-02	RRH13310	315137	6000	10000
DODGE / CHRYSLER / PLYMOUTH Mid-Size Pickups, SUV's, & Vans						
DODGE & CHRYSLER MINIVANS	EXCEPT STOW & GO	1996-07	RRH12094	315091	3500	N/A
DODGE & CHRYSLER	STOW & GO VAN	2004-07	RRH13389	315093	3500	4000
DAKOTA	DRILL APPLICATION	2005-08	RRH13228	315103	5000	5500
DAKOTA PICKUP	2 & 4WD/2 & 4 DOOR	1987-04	RRH13280	315105	5000	8000
VAN (FULL SIZE)	EXCEPT W/ STEP BUMPER	1997-04	RRH13590	315119	5000	8000
DURANGO		2004-08	RRH13297	315130	5000	6000
DURANGO		1998-03	RRH13097	315132	5000	8000
FORD Full Size Pickups						
F150/250 LIGHT DUTY (NEW BODY STYLE)	INCLUDES SUPER CREW	1997-03	RRH14355	315007	10000	12000
F250/F350 SUPERDUTY		1999-2008	RRH15004	315009	12000	14000
FORD F150	SQUARE TUBE	2006-08	RRH13360	315073	6000	10000
FORD F150	ROUND TUBE	2006-08	RRH13365	315075	6000	10000
FORD F150	NO DRILL	2004-05	RRH13357	315079	6000	10000
F-150		2004-05	RRH13352	315081	6000	10000
F150/250 LIGHT DUTY	INCLUDES SUPER CREW	1997-03	RRH13355	315083	6000	10000
FORD / LINCOLN / MERCURY Mid-Size Pickups, SUV's, & Vans						
FULL SIZE VANS	EXCEPT STEP BUMPER	1975-07	RRH13053	315015	6000	10000
VAN	E-150/250/350	2000-08	RRH13055	315016	6000	8000
FORD WINDSTAR VAN		1994-03	RRH12121	315022	3500	N/A
RANGER PICKUP		1983-08	RRH13019	315041	4000	6000
FORD ESCAPE, MERC MARINER		2005-08	RRH13650	315046	3500	5000
EXPLORER & MOUNTAINEER	INCLUDES OVERSIZED SPARE	1991-01	RRH13540	315067	4000	6000
EXPLORER & MOUNTAINEER		2002-05	RRH13550	315070	5000	6000
NAVIGATOR & EXPEDITION		1997-03	RRH13049	315076	6000	10000

MODEL	NOTES	YEAR	PART#	REF#	Wt. Carrying	Wt. Distributing
JEEP						
CHEROKEE		1984-01	RRH13084	315118	5000	6000
GRAND CHEROKEE	INCLUDING W/ SKID SHIELD	1999-04	RRH13051	315122	5000	6000
JEEP GRAND CHEROKEE	W/SPARE	2005-08	RRH13251	315124	5000	5500
GRAND CHEROKEE	INCLUDING W/ SKID SHIELD	1993-98	RRH13048	315126	5000	8000
JEEP LIBERTY	1 PIECE, ROUND TUBE	2001-07	RRH13244	315129	4000	N/A
WRANGLER (INCL. RUBICON)	INCLUDING TUBE BUMPER	1997-06	RRH13408	315138	4000	N/A
JEEP WRANGLER UNLIMITED	2 DOOR	2004-06	RRH13428	315139	4000	N/A
Import Truck, Van, & SUV						
TOYOTOA SIENNA VAN		2004-08	RRH13256	316060	3500	5000
TOYOTOA RAV4	NO DRILL	2006-08	RRH13509	316063	3500	4000
TOYOTA HIGHLANDER, LEXUS RX		2004-07	RRH13530	316067	3500	4000
TOYOTA TACOMA, XRUNNER		2005-08	RRH13323	316080	5000	5500
TOYOTA TACOMA PICKUP	ALL	1995-04	RRH13013	316082	5000	6000
TOYOTA TUNDRA		2000-06	RRH13180	316092	6000	10000
TOYOTA 4RUNNER, LEX GX470		2003-08	RRH13445	316096	5000	5500
NISSAN XTERRA		2005-08	RRH13514	316101	4000	6000
NISSAN TITAN PICKUP		2004-08	RRH13199	316107	6000	10,000
NISSAN FRONTIER PICKUP		2000-04	RRH13841	316109	5000	8000
NISSAN FRONTIER TRUCK		2005-08	RRH13241	316112	5000	8000
HONDA ODYSSEY VAN		1999-08	RRH13561	316125	3500	5000
MULTI-FIT RECEIVER HITCHES						
CHEVY & FORD PICKUPS	VARIOUS MODELS	1962-06	RRH13028	315146	6000	10000
DODGE & FORD PICKUPS	VARIOUS MODELS	1967-02	RRH14001	315149	10000	12000
FORD/GM	CREW/CHASSIS CAB	1973-06	RRH14082	315155	10000	12000
GM, DODGE, FORD, TOYOTA	MULTI-FIT	1962-08	RRH13950	315212	5000	N/A

TOWING ACCESSORIES

Bumper Receiver Hitches and Receiver Tubes

Choose from our standard Step Bumper Hitch Box or the Bumper Receiver Hitch for an alternative light duty 2" receiver. For custom building your own receiver hitch, three lengths of receiver tubes are available.

SBH7603



RB12

PART NO.	REF NO.	DESCRIPTION
SBH7603	318150	2" STEP BUMPER HITCH, UNIVERSAL FIT W/FLAT MOUNTING PLATE, 6 BOLT HOLES
SBH7511	318175	2" STEP BUMPER HITCH, UNIVERSAL FIT W/FLAT MOUNTING PLATE, 4 BOLT HOLES
RB12	318600	12" RECEIVER TUBE FOR 2" SQUARE HITCH BARS
RB24	318625	24" RECEIVER TUBE FOR 2" SQUARE HITCH BARS
RB36	318800	36" RECEIVER TUBE FOR 2" SQUARE HITCH BARS

Drop Hitches

Bolt to rear of a pickup step bumper. These Drop Hitches give a lower hitch point to the trailer, allowing a level ride for towing.



503 & 504

PART NO.	REF NO.	DESCRIPTION
503	318200	4" DROP REAR HITCH
503K	314250	4" DROP REAR HITCH, W/HBK34 MNTG BOLT KIT
504	318400	6" DROP REAR HITCH
504K	318450	6" DROP REAR HITCH, W/HBK34 MNTG BOLT KIT
HBK34	318475	MOUNTING BOLT KIT FOR DROP HITCH

Weight Distribution Hitches

Ideal for use when towing trailers with heavier tongue weights. A Weight Distribution Hitch applies leverage between the tow vehicle and trailer resulting in a more level ride with less stress on the rear of the tow vehicle. Use with a 2" receiver hitch. Rated at 10,000 lbs. towing capacity.



PART NO.	REF NO.	DESCRIPTION
70230	318076	WT DIST HITCH 10K ADJ BALL MT W/SHANK
70340	318081	WT DIST HITCH 12K TRUNNION STYLE ADJ SHANK
75190	318082	SWAY CONTROL ARM & BALL, USE W/WT DIST HITCH
76560	318086	LIFT BRACKET KIT F/WT DIST, PAIR
75040	318089	BALL, 1-1/4", F/SWAY CNTRL ON WT DIST HITCH



70230

Cargo Platforms

Extend your cargo space with these hitch mounted platforms. The 20" x 60" platforms are for use with 2" receiver hitches and feature a mesh floor, convenient tie loops and a 500 lb. capacity. The powder coat finish helps prevent corrosion. The 90590 has 6" high sides to help keep cargo secure.

PART NO.	REF NO.	DESCRIPTION
90190	318540	CARGO CARRIER BASKET FOLDING 2" RECEIVER MOUNT
90590	318545	HITCH MNT CARGO CARRIER, BOXED, 20" X 60" X 6", FOR 2" RECEIVER
LTG-60	318550	HITCH MNT CARGO CARRIER, BOXED



Bike Carrier



This carrier is designed with a user-friendly bicycle attachment. Protective rubber extrusions help protect bicycles. Can carry race, mountain, or touring bicycles (not for oversized frames). Holds 4 bicycles at a maximum of 350 lbs.

PART NO.	REF. NO.	DESCRIPTION
BR9087	318505	4" BIKE CARRIER FOR 2" RCVR HITCH, FOLD DOWN



TOWING
ACCESSORIES

Receiver Accessories

We have hitch pins available in bulk or packaged for easier display. Other accessories are listed below. See K-15 for security devices.

RECEIVER HITCH PINS		
PART NO.	REF NO.	DESCRIPTION
RHPP1	319743	RECVR HITCH PIN, 5/8" X 3", W/KEEPER (BULK)
RHPP2	319747	RECVR HITCH PIN, 1/2" X 3", W/KEEPER (BULK)
1465DAT	319748	5/8" STAINLESS STEEL HITCH PIN, W/PIVOT KEEPER
HP583	319750	RECVR HITCH PIN, 5/8" X 3", W/KEEPER (PKGD)
HP12	319755	RECVR HITCH PIN, 1/2" X 3", W/KEEPER (PKGD)
TS35010	319758	TOW & STOW HITCH PIN W/ KEEPER, 5/8"X4-1/2", S/S

RECEIVER TUBE COLLARS & COVERS		
PART NO.	REF NO.	DESCRIPTION
HBB1	320000	HITCH BALL BUSHING, REDUCES 1" HOLE TO 3/4"
SDADAPT	320100	ADAPTER SLEEVE, 2-1/2" T O 2" RECEIVER
TS35020	320220	SILENCER PAD FOR RECEIVER, BLK
TA06-100	320240	2" RECEIVER TUBE COVER, CHROME
TA06-125	320245	2" RECVR TUBE COVER, BLACK



TS35010

RHPP2

1465DAT

TS35020




TA06-125


For Receiver Locks see page K-13 & K-14

Selecting a Ball Mount with the Correct Rise or Drop


Follow the simple steps illustrated below to determine the ball mount with enough rise or drop to keep the trailer in a level position.



To Measure Ball Mount Rise:



To Measure Ball Mount Drop:



Multi-Ball Adjustable Receiver Hitch

TOWING ACCESSORIES



With a pull of a pin, easily rotate the ball to the desired size. Stows underneath when not in use.

- Class IV Rating
- Adjusts to multiple heights
- Available in several ball configurations

**ONE HITCH...
COMPLETE
VERSATILITY!**



PART NO.	REF NO.	DESCRIPTION
TS10033B	319685	DOUBLE BALL MNT 2-5/16" X 2", 3" DROP, 10K
TS10047B	319691	TRI-BALL MNT 2" X 1-7/8" X 2-5/16", 3" DROP, 10K
TS10037B	319694	DOUBLE BALL MNT 2-5/16" X 2", 5" DROP, 10K
TS10048B	319697	TRI-BALL MNT 2" X 1-7/8" X 2-5/16", 5" DROP, 10K

Receiver Ball Mounts and Pintle Mounts

Designed to fit 2" I.D. receiver tube. Ball mounts raise or lower ball height for proper trailer towing.



BM01-485



BM01-2852



PART NO.	REF NO.	DESCRIPTION	BALL SHANK HOLE SIZE	SHANK LENGTH	CAPACITY
BM01-285	319003	2" DROP OR STRAIGHT	1"	8"	6K
BMHD2S	319006	HEAVY DUTY, 2" DROP	1 1/4"	7"	9K
SDBM3	319010	SUPER DUTY, 2 -1/2" TUBE, 3" DROP	1 3/8"	8"	12K
BM01-485	319203	4" DROP OR 2" LIFT	1"	8"	6K
BMHD4S	319206	HEAVY DUTY, 4" DROP	1 1/4"	7"	9K
SDBM5	319210	SUPER DUTY, 2 -1/2" TUBE, 5" DROP	1 3/8"	8"	12K
BM01-595	319403	5 1/4" DROP OR 4" LIFT	1"	9"	6K
BMHD6S	319406	HEAVY DUTY, 6" DROP	1 1/4"	7"	9K
SDBM7	319410	SUPER DUTY, 2 -1/2" TUBE, 8" DROP	1 3/8"	8"	12K
BM01-895	319503	8" DROP OR 6 1/2" LIFT	1"	9 1/2"	4K
PM6990S	319627	RECEIVER PINTLE MOUNT, 2"	N/A	8"	9K



Cushioned Ball Mounts

CONVERT-A-BALL®

Designed to reduce the shock associated with starting and stopping while towing. Also helps reduce shock caused by shifting loads. For use with 2" receiver tubes.



TOWING
ACCESSORIES

PART NO.	REF NO.	DESCRIPTION	BALL SHANK HOLE SIZE	SHANK LENGTH	CAPACITY
AMSC2	319520	2" DROP, SOCKET DEPTH OF 4 5/8" OR MORE	1"	8"	10K
AMSC4	319530	4" DROP, SOCKET DEPTH OF 4 5/8" OR MORE	1"	8"	10K


Specialty Ball Mounts

Designed to aid in towing multiple sized couplers with only one ball mount. The triple has a 6,000 lb. capacity for the 1 7/8" ball and 10,000 lb. capacity for the 2" & 2 5/16" balls. The chrome double has a 10,000 lb. capacity for the 2" and 2 5/16" balls.



Quality Since 1942

PART NO.	REF NO.	DESCRIPTION	RECEIVER TUBE SIZE	SHANK LENGTH
TBM1620	309075	TRIPLE BALL MOUNT, BLACK	2"	8"
DBM22516C	309080	DOUBLE BALL MOUNT, CHROME	2"	8"
TBM1620C	309078	WALLACE CHROME TRI-BALL	2"	8"




Andersen Aluminum Ball Mounts

The Rapid Hitch is an attractively designed hitch that provides 5 1/4" of vertical adjustment for 2" and 2 5/16" hitch balls, in 10,000 lb. capacity.

**RAPID
HITCH**



PART NO.	REF. NO.	DESCRIPTION
3410	319650	RAPID HITCH ADJ BALL MOUNT 2" & 2-5/16", 10K
3428	319653	RAPID HITCH ALUMINUM LOCKING BALL PIN
3434	319655	RAPID HITCH BALL PIN SET, KEYED ALIKE, 5/8" PINS



**ALUMI
STINGER**



PART NO.	REF. NO.	DESCRIPTION
3503B	319660	ALUMISTINGER 2" DROP 1" SHANK 8K
3505B	319665	ALUMISTINGER 4" DROP 1" SHANK 8K

TOWING
ACCESSORIES



Aluminum Locking Ball Mounts

DT Locking Aluminum Ball Mounts are precision machined and polished from only the highest quality aluminum available. O-Ring sealed, overlapping stainless steel slide pins have been shear tested to 20,000 lbs. These pins offer reliable corrosion resistance and super high strength operation.



Rated at 14,000 lbs. trailer and 2,000 lbs. tongue capacity. Maximum security, pick resistant lock cylinder, with dust cover, replaces the need for separate receiver lock or pin & clip.

PART NO.	REF. NO.	DESCRIPTION
LBM8200	319630	2" DROP, 1" BALL HOLE, 14K
LBM8400	319632	4" DROP, 1" BALL HOLE, 14K
LBM8600	319634	6" DROP, 1" BALL HOLE, 14K



Redline Packaged Hitch Balls

The most popular forged Hitch Balls, in attractive clam shell packaging for your retail sales! For pegboard or shelf display.



PART NO.	REF. NO.	BALL SIZE	SHANK DIA.	SHANK LENGTH	FINISH	CAPACITY
TA02-025	309015	1 7/8"	3/4"	2 1/2"	CHROME	2K
TA02-045	309025	1 7/8"	1"	2"	CHROME	2K
TA03-025	309040	2"	3/4"	2 1/2"	CHROME	3.5K
TA03-045	309050	2"	1"	2 1/2"	CHROME	5K
TA04-020	309065	2 5/16"	1"	2"	CHROME	5K
TA04-040	309070	2 5/16"	1 1/4"	2 1/4"	CHROME	7.5K

Hitch Balls

1 7/8" BALL SIZE						
PART NO.	REF NO.	SHANK DIA.	SHANK LENGTH	FINISH	RISE	CAPACITY
17834CLS	309500	3/4"	3"	CHROME	N/A	2K
1781CLS	309900	1"	2 1/8"	CHROME	N/A	2K

2" BALL SIZE						
PART NO.	REF NO.	SHANK DIA.	SHANK LENGTH	FINISH	RISE	CAPACITY
234CLS	310590	3/4"	2 5/16"	CHROME	N/A	3.5K
21CLS	311190	1"	2 1/8"	CHROME	N/A	5K
80200	311400	1"	2"	FORGED	N/A	5K
211RM	311500	1"	2"	ZINC	1"	5K
212RM	311600	1"	2"	ZINC	2"	3.5K
21HT	311700	1"	2 1/8"	HEAT TREATED	N/A	7K
2114CLS	311725	1 1/4"	2 1/4"	CHROME	N/A	7.5K
2-114-13C	311755	1 1/4"	2 3/4"	CHROME	N/A	13K
2-1CLS	311800	1"	2 3/8"	CHROME	N/A	10K

2 5/16" BALL SIZE						
PART NO.	REF NO.	SHANK DIA.	SHANK LENGTH	FINISH	RISE	CAPACITY
2516-1LS	311850	1"	2 1/8"	CHROME	N/A	7.5K
2516-114	312000	1 1/4"	2 5/8"	CHROME	N/A	10K
2516-1CLS	312300	1"	2 3/8"	CHROME	N/A	10K
2516-114LS	312200	1 1/4"	3 1/4"	ZINC	N/A	9K
2516-114-1	312400	1 1/4"	2 1/4"	ZINC	1"	7K
2516-114-1LS	312435	1 1/4"	3 1/4"	ZINC	1"	7K
2516-114-2	312600	1 1/4"	2 1/2"	ZINC	2"	5K
2516-114-13C	312604	1 1/4"	2 3/4"	CHROME	N/A	13K
2516-112-2	312650	1 1/2"	2 3/4"	MACHINE	2"	30K
80211	312800	1 3/8"	2 1/2"	FORGED	N/A	13K
81371	313000	1 3/8"	2 1/2"	FORGED	N/A	40K
2516-114-HT	313025	1 1/4"	2 1/8"	MACHINE	N/A	30K
5F	313200	1 3/8"	3 1/4"	MACHINE	1"	30K
2516-138-1	313220	1 3/8"	3 1/4"	MACHINE	1"	30K
2516-112CT	313400	1 1/2"	3 1/2"	ZINC	N/A	10K
2516-2CT	313425	2"	3 1/2"	MACHINE	N/A	10K

3" BALL SIZE						
PART NO.	REF NO.	SHANK DIA.	SHANK LENGTH	FINISH	RISE	CAPACITY
32M	313605	2"	3 1/4"	MACHINE	N/A	30K



CEQUENT[™]
A TRIMAS COMPANY



Quality Since 1942

TOWING
ACCESSORIES



Interchangeable Hitch Balls


CONVERT-A-BALL®



CB004B
Box Only



Simplify hitch ball size changes with Interchangeable Hitch Balls; no tools required. The shaft attaches to the tow vehicle and the balls can be removed from the shaft with the simple push of a pin.



PART NO.	REF NO.	DESCRIPTION
CB800B	309086	1-7/8" & 2" x 3/4" SHANK, 3.5K, CHROME
CB900B	309088	1-7/8", 2" & 2-5/16" X 1" SHANK, 10K, CHROME
CB901B	309090	1-7/8" & 2" x 1" SHANK, 10K, CHROME
CB004B	309092	PLASTIC STORAGE BOX W/COVER, FOR 3-CONVERT-A-BALLS

Swift Hitch™ Wireless Hitching Camera System

SWIFT HITCH



- Wireless camera system shows a realtime display of your hitch ball, no more guessing where the trailer tongue is!
- Attach the camera to your tailgate with the magnetic base on camera unit & remove it afterward.
- Big 2.5" LCD 960 x 240 resolution color display ensures accurate hitching.
- With the infrared lights, you can accurately hitch your trailer in complete darkness.
- Transmission distance between camera and handheld display is 300 ft. in daylight and 15 ft. in darkness.
- The camera and display are charged by vehicle's 12v accessory port.
- 1 year warranty

PART NO.	REF. NO.	DESCRIPTION
SH01	313617	SWIFT HITCH WIRELESS HITCHING CAMERA SYSTEM

Telescoping Hitch Aligner



A fast, safe, and reliable hitching aid for all types of trailers, 5th wheels and goosenecks! Extends up to 42".

PART NO.	REF. NO.	DESCRIPTION
53410	313616	HITCH ALIGNER TELESCOPING ALIGNMENT

Hitch Ball Wrench

The high torque box ends and long wrench body of this hitch ball wrench allow for increased leverage that will securely tighten hitch ball nuts. Made of hardened steel with a chrome plated finish, this wrench is corrosion resistant, thus ensuring many years of use.

Master Lock. 



PART NO.	REF NO.	DESCRIPTION
HBW1812	313607	HCH BL WRENCH,1-1/8" & 1- 1/2" FOR 3/4" & 1" SHNK,CHRM



Pintle Hooks



Popular in the construction, municipal utility, and transportation industries, the following Pintle Hooks can be used when towing light, medium, or heavy weight trailers. Available in 4, 6, or 10 bolt mounting patterns.

PH30RP41



PART NO.	REF NO.	DESCRIPTION	BRAND	MNTG. HOLES	MAX. WT. TONGUE	GROSS WT. TRAILER
PH10RP41	306397	RIGID TYPE	HOLLAND	4	2K	10K
R5T	306401	RIGID TYPE	WALLACE	4	2K	10K
R15T	306601	RIGID TYPE	WALLACE	4	6K	30K
PH30RP41	306602	RIGID, W/FAST LATCH	HOLLAND	4	6K	30K
PH30SA41	306799	SWIVEL W/ SPRING CUSHION	HOLLAND	6	4K	20K
S15T	306801	SWIVEL W/ SPRING CUSHION	WALLACE	6	4K	30K



S15T

TOWING ACCESSORIES



FastLatch™ PINTLE HOOKS FEATURE:

- Automatic Secondary Lock for Safety
- No Cotter Pins or Chains for Convenience
- NoLube™ Technology for Lubrication-Free Low Maintenance

ONE HANDED LATCH OPERATION!

HEAVY DUTY						
PART NO.	REF NO.	DESCRIPTION	MNTG. HOLES	MAX. WT. TONGUE	GROSS WT. TRAILER	
PH210RA11	307001	RIGID TYPE W/AIR CUSH	4	18K	90K	
PH210RN11	307201	RIGID TYPE, NO AIR CUSH	4	18K	90K	
PH410RA11	307401	RIGID TYPE W/AIR CUSH	6	20K	100K	
PH410RN11	307599	RIGID TYPE, NO AIR CUSH	6	20K	100K	



PH210RN11




PH410RN11

TOW & STOW Pintle Hitch



- Class IV / 1,000 lb MTW / 10,000 lb. GVW
- Adjusts to multiple heights
- 6", 8" and 10" models available
- New stainless steel pins with knurled grip for easier removal & a cleaner look
- Stows underneath when not in use



PART NO.	REF. NO.	DESCRIPTION
TS10055B	306700	WITH 2"CHROME BALL, 5" DROP, 16K
TS10056B	306705	2-5/16"CHROME BALL, 5" DROP, 16K

Combination Pintle Hitches

TOWING ACCESSORIES



Combination pintle hitches are ideal for farm, construction and general use. Packaged for showroom display, these pintle hitches include all necessary mounting hardware. Imported.

PART NO.	REF NO.	BALL SIZE	MAX. WT. TONGUE	BALL CAPACITY	PINTLE CAPACITY
CPH-2000	306104	2"	500	5K	12K
CPH-2516	306105	2 5/16"	800	8K	12K



Wallace Forge drop-forged Combination Pintle Hooks/Ball Hitch include a chrome ball. Hitch balls are interchangeable. DPH and DPR feature a two-stage locking mechanism that locks when used as a pintle hitch or ball hitch.



DPR2516



DPH2000

PART NO.	REF NO.	BALL SIZE	MNTG. HOLES	MAX. WT. TONGUE	BALL CAPACITY	PINTLE CAPACITY
DPH2000	306110	2"	4	3K	10K	16K
DPH2516	306120	2 5/16"	4	3K	10K	16K
DPR2000	306160	2"	FOR 2" RECEIVER	1K	10K	10K
DPR2516	306170	2 5/16"	FOR 2" RECEIVER	1K	10K	10K
2000DPRB	306145	2"	REPL. BALL FOR DPH/DPR SERIES		10K	16K
2516DPRB	306155	2 5/16"	REPL. BALL FOR DPH/DPR SERIES		10K	16K

SAF-Holland Duplex Hitch



This Pintle Hook/2" Ball Hitch is well suited for use in the utility, construction and rental industries. The Pintle Hook and 2" Ball are part of a **single durable steel casting**, which eliminates the possibility of the ball coming loose.



PART NO.	REF NO.	BALL SIZE	MNTG. HOLES	MAX. WT. TONGUE	BALL CAPACITY	PINTLE CAPACITY
BH200RN41	306300	2"	4	3,000	10K	20K

Smooth Shank Hitch Balls

Ideal for use on Gooseneck Channels with a 2 3/16" smooth shank hole, such as 638CS, 642CS and 644CS.

PART NO.	REF NO.	BALL SIZE	SHANK DIA.	SHANK LENGTH	DESCRIPTION	CAPACITY
2516-2316SM	313600	2 5/16"	2 3/16"	4"	BALL W/O COLLAR	30K
GNPC-1	313610	N/A	2 3/16"	4"	EYE W/O COLLAR	NR
GNC	313615	N/A	2 3/16" I.D.	N/A	COLLAR ONLY	N/A



GNPC-1



2516-2316SM

Gooseneck Channels

A real time saver for Gooseneck hitch installers! When equipping pick-ups for gooseneck trailer towing, use pre-cut channels for under-the-bed installation of hitch balls with either a 1 1/4" or 2 3/16" shank. These 6" wide channels are available in 38", 42" or 44" lengths to fit most 1/2 thru 1-ton pickups.

PART NO.	REF. NO.	DESCRIPTION
638CP	314755	6" X 38" CHANNEL, 1 1/4" BALL HOLE
642CP	314760	6" X 42" CHANNEL, 1 1/4" BALL HOLE
644CP	314761	6" X 44" CHANNEL, 1 1/4" BALL HOLE
638CS	314770	6" X 38" CHANNEL, 2 3/16" SMOOTH SHANK COLLAR
642CS	314775	6" X 42" CHANNEL, 2 3/16" SMOOTH SHANK COLLAR
644CS	314781	6" X 44" CHANNEL, 2 3/16" SMOOTH SHANK COLLAR



642CP

Gooseneck Hitch Plates

Heavy Duty Gooseneck Plates are economical and offer universal installation. Hitch plates 2516BPD and 2516BP-1RD are equipped with two 5/8" D-rings for safety chain attachment points.



2516BP-1RD



GNP



PART NO.	REF NO.	BALL SIZE	PLATE SIZE	RISE	CAPACITY
2516BPD	314401	2 5/16"	3/8" X 15" X 40"	N/A	25K
2516BP-1RD	314430	2 5/16"	3/8" X 13" X 42"	1"	25K
GNP	314500	N/A (1 1/4" BALL HOLE)	1/4" X 18 1/4" X 42"	2 1/2"	NR

Folding Gooseneck Hitch Ball



Atwood offers a machined 2 5/16" hitch ball that folds down flush with the truck bed when not in use, leaving the bed clear for full utilization. Comes with safety chain tie down loops that work in conjunction with our Safety Chains found on page K-16.



PART NO.	REF. NO.	DESCRIPTION	BALL SIZE	PLATE SIZE	CAPACITY
B25CL	314602	FOLDING GN HITCH BALL	2 5/16"	12" X 14"	25K

Folding Gooseneck Hitch Ball



Wallace Forge offers a drop-forged 2 5/16" hitch ball, a square hitch ball base and door for greater stability, a secondary spring loaded pin for added security when the hitch ball is in use, and safety chain tie downs which provide connections for Safety Chains found on page K-16. (Safety chains pictured, but not included).



PART NO.	REF. NO.	DESCRIPTION	BALL SIZE	PLATE SIZE	CAPACITY
WF2516-FB	314610	FOLDING GN HITCH BALL	2 5/16"	12" X 14"	25K
WF2516-MK2	314617	BOLT ON MTNG KIT FOR FOLDING BALL ASSEMBLIES			

Folding Ball Mounting Kits



These kits include mounting rails and hardware needed for installing most brands of folding gooseneck hitch balls. These kits are designed to provide easy installation on most Dodge, Ford and GM pickups.



PART NO.	REF. NO.	DESCRIPTION
MK6981	313640	FOLDING BALL MTG KIT, 94-02 DODGE RAM EXC 02 1500
MK69680	313641	FOLDING BALL MTG KIT, 02-04 DODGE 1500, ALL 03-04
MK6984	313643	FOLDING BALL MTG KIT, 80-04 FORD F250HD/F350/SD
MK69670	313645	FOLDING BALL MTG KIT, 99-06 GM TRUCK, VARIOUS
MK69671	313646	FOLDING BALL MTG KIT, 99-08 CHEV/GMC TRUCKS
MK69682	313648	FOLDING BALL MTG KIT, DODGE 1500 02-05, HD 03-06

Ranch Hitch Gooseneck to 5th Wheel Adapter & Accessories

The perfect adapter; converts 5th Wheel Trailers to a Gooseneck Trailer, allowing Gooseneck Hitch owners to pull 5th Wheel Trailers.

- Fits 2 5/16" ball hitch
- 24K Trailer GVWR & 6K tongue weight
- 3" vertical adjustment
- The ONLY REMOTE CONTROL adapter on the market
- Kit includes all hardware for attachment to 5th wheel trailer.



PART NO.	REF. NO.	DESCRIPTION
3103	314706	SLIDE HAMMER FOR RANCH HITCH ADAPTER
3109	314707	SAFETY CHAINS FOR RANCH HITCH ADAPTER
3100	314708	UNIVERSAL RANCH HITCH ADAPTER, FITS 2 5/16" BALL

5th Wheels



Ideal for use on R.V., utility or industrial trailers and accepts standard 2" SAE king pins. All three are rated at 32,000 lbs. capacity.

PART NO.	REF. NO.	DESCRIPTION	PIVOT STYLE	APPLICATION
FW0001	296200	HOLLAND 5TH WHL, 12" DIA.	SINGLE	INVERTED ON TRAILER
FW0002-45	296400	HOLLAND 5TH WHL, 12" DIA.	DOUBLE	INVERTED ON TRAILER
FW6000	296600	HOLLAND 5TH WHL, 22" DIA.	SINGLE	MTD ON TOW VEHICLE



TOWING ACCESSORIES



King Pins

2" SAE King Pins are the standard of the industry and are suitable for use in all over-the-road applications. The Holland Retractable King Pin disappears into the truck bed when not in use and is to be used with inverted 5th wheel trailers equipped with FW0001 or FW0002-45.

PART NO.	REF. NO.	DESCRIPTION	APPLICATION
T809	297200	RIGID WELD-ON, 3/8" BOLSTER	PIN BOX ON TRAILER
FW0030	297400	HOLLAND RETRACTABLE, 4 BOLT, 14" X 14"	BED OF TOW VEHICLE



FW0030

Hijacker RV 5th Wheels & Gooseneck Hitches

Hijacker offers the most complete line of Fifth Wheel Hitches in the Industry. The two different series of hitches have rails that install either “along the bed” (sliders) or “across the bed” (ultras) and both series have Gooseneck hitches, as well. Enjoy smooth towing with the strongest and most durable Fifth Wheel Hitches on the market. The following features are common to both the Slider Series and the Ultra Series:

- Black powder coat finish
- Jaw bolt adjustment
- Multi position jaw handle
- All 5th wheels have 4” of height adjustment
- Sliding 5th wheels have 8” of adjustment
- Modular concept permits upgrade from 16K single to 16K double pivot to 21K double pivot
- 5 Year warranty
- UPS shippable

Hijacker®

Slider Series

- Rails install *along* the truck bed
- Rails permit easier use of truck bed

PART NO.	REF. NO.	DESCRIPTION	CAPACITY	TONGUE WT.
HJ7001SR	296800	16K SINGLE PIVOT 5TH WHL	16K	4K
HJ7001DPSR	296830	16K DBL PIVOT 5TH WHL	16K	4K
HJ7021DPSR	296850	21K DBL PIVOT 5TH WHL	21K	5.2K
HJ7025GNSR	296860	25K GN HITCH, 2 5/16" BALL	25K	4.5K



HJ7001SR



HJ7001DPSR



HJ7021DPSR



HJ7025GNSR

TOWING ACCESSORIES

Hijacker®

Ultra Series

- Rails install *across* the truck bed
- Ultra Slide permits sliding without lowering jacks

PART NO.	REF. NO.	DESCRIPTION	CAP.	TONGUE WT.
HJ7001	296700	16K ULTRA SINGLE PIVOT 5TH WHL	16K	4K
HJ7001DP	296730	16K ULTRA DBL PIVOT 5TH WHL	16K	4K
HJ7021DP	296750	21K ULTRA DBL PIVOT 5TH WHL	21K	5.2K
HJ7025GN	296760	25K GN HITCH, 2 5/16" BALL	25K	4.5K
HJ7001USR	296870	16K SINGLE PIVOT ULTRA SLIDE 5TH WHL	16K	4K
HJ7001DPUSR	296875	16K DBL PIVOT ULTRA SLIDE 5TH WHL	16K	4K
HJ7021DPUSR	296877	21K DBL PIVOT ULTRA SLIDE 5TH WHL	21K	5.2K
HJ24AS18	296895	18K DBL PIVOT ULTRA AUTO SLIDE 5TH WHL HCH	18K	



HJ7001



HJ7021DP



HJ7001DPUSR



HJ7025GN



Hijacker Installation Brackets & Mounting Rails

Twelve different frame brackets are offered for specific types of vehicles, dramatically reducing installation time of the Hijacker systems. The application chart at the bottom of this page shows how many of each type of bracket are used for each vehicle. The chart below lists the Part No. & Ref. No. for each type of bracket.

PART NO.	REF. NO.	DESCRIPTION	TYPE
SRU411	296900	HIJACKER MTG BKT STD RL FITS MOST TRUCKS	A
SRU411AR	296905	HIJACKER MTG BKT STD RL PRE-88 CHEV, POST92 FORDS	B
SRU411AL	296906	HIJACKER MTG BKT STD RL PRE-88 CHEV, POST92 FORDS	C
SRU411B	296910	HIJACKER MTG BKT STD RL POST 88 CHEV	D
SRU411C	296915	HIJACKER MTG BKT SLDR RL POST 88 CHEV	E
SRU411D	296920	HIJACKER MTG BKT FOR SL MULTI-FORD/DODGE/CHEV	F
SRU411ER	296925	HIJACKER MTG BKT STD RL 99 FORD F250 & F350 SD	G
SRU411EL	296926	HIJACKER MTG BKT STD RL 99 FORD F250 & F350 SD	H
D1535BK	296931	HIJACKER UL BKT DODGE 02-08 1500 03-08 2500 & 3500 (4X4)	I
D3500BK2	296933	HIJACKER UL MTG BKT DODGE 03-08 3500 (4X2) ONLY	
F150BK04	296935	HIJACKER UL MTG BKT 04-08 FORD F150 UL MODEL ONLY	
F150SLBK	296940	HIJACKER SLIDER MTG BKT 04-08 FORD F150	
F350ULBK	297000	HIJACKER MTG BKT ULTRA, 05-08 F250 - F350SD, 08 F450	
F350SLBK	297010	HIJACKER MTG BKT SLIDER 05-08 F250-350SD, 08 F450	
T07ULBK	297020	HIJACKER MTG BKT ULTRA 2007 TOYOTA TUNDRA	

NOTE: All Hijacker 5th wheel and Gooseneck Hitches come standard with one set (4 ea.) of type A (part # SRU411) bracket

VEHICLE:	ULTRA SERIES	SLIDER SERIES	VEHICLE:	ULTRA SERIES	SLIDER SERIES
FORD			DODGE		
04-08 F150 REG/ SUPER CAB ONLY	F150BK04	F150SLBK	03-08 RAM 3500 2WD ONLY	D3500BKT	6-F
2001 F450/550 "SUPER DUTY"	2-A, 1-B, 1-C	*	02-08 RAM 1500 (INCLUDES QUAD CAB)	D1535BK	6-F
1999-04 F-250/350 "SUPER DUTY"	2-A, 1-G, 1-H	6-A	03-08 RAM 2500/3500	1-I	6-F
05-06 F250/350 "SUPER DUTY"	1-A, 1-B, 1-G, 1-H	5-A, 1-C	94-02 RAM 1500 TO 3500 93 & EARLIER RAM	4-A	6-A
1992-98 F350	2-A, 1-B, 1-C	6-A	03-04 DAKOTA 01 & EARLIER DAKOTA	2-A, 1-B, 1-C 4-A	6-A 6-A
1997-98 F250 "HEAVY DUTY"	2-A, 1-B, 1-C	6-A	CHEVROLET	ULTRA SERIES	SLIDER SERIES
1997-99 F250 "LIGHT DUTY"	4-A	6-F	99-07 SILVERADO & SIERRA, 1500/2500 LONG & SHORTBED	4-A	6-F
1997-2003 F150	4-A	6-F	01-07 SILVERADO, 1500 HD LONG & SHORTBED	4-A	6-F
1989-96 F150/250	2-A, 1-B, 1-C	6-A	01-07 SILVERADO, 2500 & 3500 HD LONG & SHORTBED	4-A	6-F
1973-88 F-SERIES	2-A, 1-B, 1-C	6-A	88-01 3500 LONGBED	4-A	4-A, 2-E
2000 & EARLIER RANGER	**	6-D	88-98 1500/2500 LONG & SHORTBED	4-A	4-A, 2-E
TOYOTA			88 & EARLIER S-10	**	6-A
2001-06 TUNDRA	4-A	*	87 & EARLIER PICKUPS	2-A, 2-B	*
2001 & EARLIER TACOMA	**	6-E			
2000 & EARLIER T100	4-A	6-E			

* This model not recommended
** This model will not fit



TOWING
ACCESSORIES

Gooseneck Hitches, RV 5th Wheel & Accessories



The B & W Turnover Ball™ System converts from a towing unit to a level bed in less than 30 seconds. Another much appreciated benefit is the ease of installation. The hitch bolts directly to the frame under the bed using the existing holes. Parts listed below ending in “R” include mounting rails. Capacity rated at 30,000 lbs, tongue weight of 7,500 lbs. The RV 5th wheel Companion™ is capacity rated at 18,000 lbs, tongue weight of 5,500 lbs.



OFFICIAL HITCH OF THE PBR & PRCA

Our Turnover Ball “flat bed kit” (Part No. BW1500) is specially designed to be built into a custom or home-made flat bed, to be used with 1/8” thick floorplate, which consists of the ball socket, a 2 5/16” ball, and the latch pin assembly. Also available is a flat bed version of our Companion™ 5th Wheel RV hitch, (Part No. BW3050) as shown below.



BW3000
18K GVW



Companion 5th Wheel RV Hitch

- Powder coat finish
- Full 1 1/8” locking jaws
- Cam action latching mechanism
- No mounting rails in the truck bed
- Vibration dampening polyurethane bushings
- Effortless hook-up & release, even under load



BW4085

PART NO.	REF. NO.	DESCRIPTION
BW1007R	314631	07-08 CHEV/GMC 1/2 TON LB ONLY NEW BXD FRAME
BW1394R	314632	94-01 1/2 T DODGE, 94-02 3/4T & 1T
BW1059R	314634	01-07 CHEV/GMC 1/2T & 3/4T LIGHT DUTY
BW1057R	314635	07-08 CHEV/GMC 1/2 TON SB ONLY NEW BOXED FRAME
BW1000R	314636	88-98 CHEVY/GMC 1/2, 3/4, 1T LB & 99-00 3/4 & 1T LB
BW1067R	314637	01-08 CHEV/GMC 3/4 TON HD SB OR LB, 07-08 CHEV/GMC 1T NEW BODY W/1 CROSSMEMBER OVR AXLE
BW1050R	314638	88-98 CHEVY/GMC 1/2, 3/4, 1T SB & 99-00 3/4 & 1T SB
BW1062R	314639	01-07 CHEVY/GMC 1T HD (W/2 BED CROSS MEMBERS)
BW1100R	314640	80-98 FORD 3/4, 1T W/O OVERLOAD SPRINGS
BW1110R	314642	80-98 FORD 3/4, 1T W/ OVERLOAD SPRINGS
BW1150R	314644	80-96 FORD 1/2 TON
BW1197R	314646	97-04 FORD OLD BODY STYLE 1/2T, LIGHT DUTY 3/4T
BW1104R	314648	04-08 FORD F150 1/2T NEW BODY STYLE
BW1108R	314650	GN HCH 99-08 FORD 3/4 & 1T SD& 08 F450 W/FACTRY BED
BW1306R	314658	GN HITCH 03-08 DODGE 3/4, 1 TON & MEGA-CAB
BW1316R	314659	GN HITCH 02-08 DODGE 1/2 TON EXCPT MEGA
BW1500	314660	GN HITCH FLAT BED TRUCKS
BW3050R	314662	RV 5TH WHL COMPANION™ FLAT BED
BW3000	314700	RV 5TH WHEEL COMPANION™
BW1257R	314655	07 GN HITCH TOYOTA TUNDRA (NOT CREW-MAX)

Companion 5th Wheel RV Hitch for FLATBEDS



BW1500

BW3050R
22K GVW

PART NO.	REF. NO.	DESCRIPTION
BW2050	314668	2 5/16” HI-RISE HITCHBALL
BW2000	314676	REPLACEMENT 2 5/16” HITCH BALL
BW4085	314705	TURNOVER BALL GN EXTENDER 2 5/16” BALL
GNXA8030	314710	B & W HITCH INSTALLATION HELPER